

396 FINAL REGULATIONS

Statement of Rationale:

The purpose of 26 S.C. Code Ann. Regs. 103-690 is to create a regulation which governs the designation of eligible telecommunications carriers utilizing a set standard for review. There was no scientific or technical basis relied upon in the development of this regulation.

Document No. 3128
PUBLIC SERVICE COMMISSION
CHAPTER 103
Statutory Authority: 1976 Code Section 58-3-140

103-300 et seq. Electric Systems and 103-400 et seq. Gas Systems

Synopsis:

In 2004, the General Assembly passed Act No. 175 which restructured the Public Service Commission. This Act modified the structure of the Agency and its functions and created the Office of Regulatory Staff. Several duties of the Public Service Commission were transferred to the Office of Regulatory Staff on January 1, 2005. The purpose of the revisions to Regs. 103-300, et seq. (1976 & Supp. 2006) and Regs. 103-400, et seq. (1976 & Supp. 2006) of the Public Service Commission's regulations is to amend these regulations to conform to the new standards set out by Act 175 of 2004 and to make other changes consistent with federal law and current standards.

Instructions: Print regulations in accordance with directions given below to show most current date of revised regulations.

- 103-300 Print as amended and shown below
- 103-301 Print as amended and shown below
- 103-302 Print as amended and shown below
- 103-303 Print as amended and shown below
- 103-304 Print as amended and shown below
- 103-305 Print as amended and shown below
- 103-310 Print as amended and shown below
- 103-311 Print as amended and shown below
- 103-312 Print as amended and shown below
- 103-313 Print as amended and shown below
- 103-314 Print as amended and shown below
- 103-315 Print as amended and shown below
- 103-316 Delete this section
- 103-317 Print as amended and shown below
- 103-318 Print as amended and shown below
- 103-320 Print as amended and shown below
- 103-321 Print as amended and shown below
- 103-322 Print as amended and shown below
- 103-323 Print as amended and shown below
- 103-324 Print as amended and shown below
- 103-325 Leave as it currently exists
- 103-326 Leave as it currently exists
- 103-327 Print as amended and shown below
- 103-330 Print as amended and shown below
- 103-331 Print as amended and shown below
- 103-332 Print as amended and shown below

103-333 Print as amended and shown below
 103-334 Leave as it currently exists
 103-335 Leave as it currently exists
 103-336 Print as amended and shown below
 103-337 Print as amended and shown below
 103-338 Print as amended and shown below
 103-339 Print as amended and shown below
 103-340 Print as amended and shown below
 103-341 Print as amended and shown below
 103-342 Print as amended and shown below
 103-343 Leave as it currently exists
 103-344 Print as amended and shown below
 103-345 Print as amended and shown below
 103-346 Print as amended and shown below
 103-347 Print as amended and shown below
 103-348 Print as amended and shown below
 103-349 Print as amended and shown below
 103-350 Print as amended and shown below
 103-351 Leave as it currently exists
 103-352 Print as amended and shown below
 103-360 Leave as it currently exists
 103-361 Print as amended and shown below
 103-362 Print as amended and shown below
 103-363 Print as amended and shown below
 103-370 Print as amended and shown below
 103-371 Print as amended and shown below
 103-372 Print as amended and shown below
 103-373 Print as amended and shown below
 103-380 Leave as it currently exists
 103-381 Leave as it currently exists
 103-382 Print as amended and shown below
 103-383 Leave as it currently exists
 103-390 Print as amended and shown below
 103-391 Print as amended and shown below
 103-392 Leave as it currently exists
 103-400 Print as amended and shown below
 103-401 Print as amended and shown below
 103-402 Print as amended and shown below
 103-403 Print as amended and shown below
 103-404 Print as amended and shown below
 103-405 Print as amended and shown below
 103-410 Print as amended and shown below
 103-411 Print as amended and shown below
 103-412 Print as amended and shown below
 103-413 Print as amended and shown below
 103-414 Print as amended and shown below
 103-415 Print as amended and shown below
 103-416 Delete this section
 103-417 Print as amended and shown below
 103-418 Print as amended and shown below
 103-420 Print as amended and shown below
 103-421 Print as amended and shown below
 103-422 Print as amended and shown below

398 FINAL REGULATIONS

103-423 Print as amended and shown below
103-424 Print as amended and shown below
103-425 Print as amended and shown below
103-426 Leave as it currently exists
103-430 Print as amended and shown below
103-431 Print as amended and shown below
103-432 Print as amended and shown below
103-433 Print as amended and shown below
103-434 Leave as it currently exists
103-435 Leave as it currently exists
103-436 Print as amended and shown below
103-437 Print as amended and shown below
103-438 Print as amended and shown below
103-439 Print as amended and shown below
103-440 Print as amended and shown below
103-441 Print as amended and shown below
103-442 Print as amended and shown below
103-443 Leave as it currently exists
103-444 Print as amended and shown below
103-445 Print as amended and shown below
103-446 Print as amended and shown below
103-447 Print as amended and shown below
103-448 Print as amended and shown below
103-449 Print as amended and shown below
103-450 Print as amended and shown below
103-451 Leave as it currently exists
103-452 Print as amended and shown below
103-460 Print as amended and shown below
103-461 Print as amended and shown below
103-462 Print as amended and shown below
103-463 Print as amended and shown below
103-464 Print as amended and shown below
103-465 Print as amended and shown below
103-470 Print as amended and shown below
103-471 Print as amended and shown below
103-472 Print as amended and shown below
103-473 Print as amended and shown below
103-474 Print as amended and shown below
103-475 Print as amended and shown below
103-480 Leave as it currently exists
103-481 Leave as it currently exists
103-482 Print as amended and shown below
103-483 Leave as it currently exists
103-484 Delete this section
103-485 Print as amended and shown below
103-490 Print as amended and shown below
103-491 Print as amended and shown below
103-492 Print as amended and shown below
103-493 Print as amended and shown below
103-494 Print as amended and shown below

Text:

**ARTICLE 3
ELECTRIC SYSTEMS
SUBARTICLE 1
GENERAL PROVISIONS**

103-300. Authorization of Rules.

A. Sections 58-27-150 and 58-27-1910, Code of Laws of South Carolina, 1976, provides: "Rules and Regulations.--The commission may make such rules and regulations not inconsistent with law as may be proper in the exercises of its power or in the performance of its duties under this Chapter, all of which shall have the force of law."

In accordance with the above provisions, the Public Service Commission has adopted the following rules and regulations and fixed the following standards for electric service. All previous rules or standards are hereby revoked, annulled, and superseded.

B. The adoption of these rules shall in no way preclude the Public Service Commission from altering, amending, or revoking them in whole or in part, or from requiring any other or additional service, equipment, facility, or standard, either upon complaint, or upon its own motion, or upon the application of any utility. Furthermore, these rules shall not in any way relieve either the commission or the utilities of any duties under the laws of this State.

103-301. Application of Rules.

1. Jurisdiction. These rules shall apply to any person, firm, partnership, association, establishment or corporation (except municipalities or agents thereof, within their corporate limits, and any other exempt by South Carolina Statutes), which is now or may hereafter become engaged as an electric system as defined in 103-302(5), herein, in the business of furnishing electric current for domestic, commercial, or industrial customers within the State of South Carolina.

2. Purpose. The rules are intended to define good practice. They are intended to insure adequate and reasonable service. The electric systems shall assist the commission in the implementation of these rules and regulations.

3. Waiver of Rules. In any case where compliance with any of these rules and regulations introduces unusual difficulty or where circumstances indicate that a waiver of one or more rules or regulations is otherwise appropriate, such rule or regulation may be waived by the commission upon a finding by the commission that such waiver is not contrary to the public interest.

103-302. Definitions.

The following words and terms, when used in these rules and regulations, shall have the meaning indicated below.

1. Commission. The Public Service Commission of South Carolina.

2. Consolidated Political Subdivision. The term 'consolidated political subdivision' means a consolidated political subdivision existing pursuant to the Constitution of this State, and shall not be deemed a city, town, county, special purpose district, or other governmental unit merged thereinto.

400 FINAL REGULATIONS

3. Customer. Any person, firm, association, establishment, partnership, or corporation, or any agency of the Federal, State or local government, being supplied with electric service by an electrical utility under the jurisdiction of this commission.

4. Electric Supplier. The term 'electric supplier' means any electrical utility other than a municipality, and means any electric cooperative other than an electric cooperative engaged primarily in the business of furnishing electricity to other electric cooperatives for resale to other electric consumers, and any consolidated political subdivision owning or operating an electric plant or system for furnishing of electricity to the public for compensation.

5. Electric System. The term 'electric system' means any electrical utility, electric supplier, utility, electric cooperative, public utility district, governmental body or agency, including consolidated political subdivisions, or another person or corporation supplying electric service to the public to the extent covered by the applicable Sections of the S. C. Code of Laws.

6. Electrical Utility. The term 'electrical utility' includes municipalities to the extent of their business, property, rates, transactions, and operations outside the corporate limits of the municipality, or persons, associations, firms, establishments, partnerships and corporations, their lessees, assignees, trustees, receivers, or other successors in interest owning or operating in this State equipment or facilities for generating, transmitting, delivering or furnishing electricity for street, railway or other public uses or for the production of light, heat or power to or for the public for compensation; but it shall not include an electric cooperative or a consolidated political subdivision and shall not include a person, corporation, special purpose district or municipality furnishing electricity only to himself or itself, their resident employees or tenants when such current is not resold or used by others.

7. Municipality. The term 'municipality' when used in these Rules and Regulations includes a city, town, county, township and any other corporation existing, created or organized as a governmental unit under the Constitution or laws of this State except a 'Consolidated Political Subdivision'.

8. ORS. The South Carolina Office of Regulatory Staff.

9. Rate. The term 'rate' when used in these rules and regulations means and includes every compensation, charge, toll, rental and classification, or any of them, demanded, observed, charged, or collected by any electrical utility for any electric current or service offered by it to the public, and any rules, regulations, practices or contracts affecting any such compensation, charge, toll, rental or classification.

10. Utility. Every privately-owned corporation, firm or person furnishing or supplying electric service to the public, or any portion thereof, for compensation.

103-303. Authorization for Rates and Charges

A. No schedules of rates or contracts involving rates, under jurisdiction of the commission, differing from approved tariffs or rates shall be changed until after the proposed change has been approved by the commission.

B. All rates, tolls, charges, and contracts involving rates proposed to be put into effect by any electrical utility shall be first approved by this commission before they shall become effective, unless they are exempt from such approval by statute, order of the commission, or other provision of law.

C. No rates, tolls, charges nor service of any electrical utility under the regulation of this commission shall be deemed approved nor consented to by mere filing of schedules or other evidence thereof in the offices of the commission, unless such proposed adjustment is made in accordance with tariff provisions which have previously been approved by the commission.

D. Any change in rates or charges affecting classifications of rates and services by electric cooperatives shall be provided to the ORS and filed with the commission and subject to approval in accordance with S. C. Code Ann., § 58-27-840.

103-304. Territory and Certificates.

No electrical utility supplying electric service to the public shall hereafter begin the construction or operation of any electric facilities, or of any extension thereof, without first obtaining from the commission a certificate that public convenience and necessity requires or will require such construction or operation; such certificate to be granted only after notice to the ORS, other interested electric systems and to the public, and after due hearing; provided, however, that this regulation shall not be construed to require any such electrical utility to secure a certificate for any extension within a municipality or district within which it has heretofore lawfully commenced operations, or for an extension within or to territory already served by it, necessary in the ordinary course of its business, or for an extension into territory contiguous to that already occupied by it and not receiving similar service from another electrical utility, but if any electric system in constructing or extending its lines, plant or system unreasonably interferes, or is about to unreasonably interfere, with the service or the system of any other electric system, the commission may make such order and prescribe such terms and conditions in harmony with this regulation as are just and reasonable.

1. Rural Territorial Act. The commission has assigned all areas outside municipal limits, and more than 300 feet from the lines (as defined in Section 58-27-610(3) of the South Carolina Code of Laws), as such lines existed on the dates of assignments, of any electric supplier (except some territory which was left unassigned to any supplier), and no electric supplier shall construct lines and equipment except as provided by S.C. Code of Laws, Sections 58-27-620(2); 58-27-620(4); 58-27-620(6); 58-27-650; and 58-27-660(1), into territory assigned to another supplier without prior approval of the commission; and no electric supplier shall construct permanent lines and equipment into any territory left unassigned by the commission pursuant to S.C. Code Ann., Section 58-27-640 without prior notice to the commission and the ORS filed within a reasonable period of time prior to the date of actual construction of permanent lines, which notice shall include a map of the area showing existing facilities, location of the customer, and the proposed route of the permanent line, and a written certification that those electric suppliers furnishing electric service in any areas contiguous to the unassigned territory have been provided a copy of the notice of construction of facilities as filed with the commission and provided to the ORS, and all such facilities providing electric service shall be constructed in accordance with good utility practices and all other applicable provisions of the S.C. Code of Laws, as amended.

2. Utility Facility Siting and Environmental Protection Act. No electric system subject to the jurisdiction of the commission shall begin the construction and/or operation of any transmission line with a designed voltage of 125 KV or more or the construction and/or operation of a generating station of more than 75 megawatts, except a hydroelectric generating facility, before receiving a certificate of Environmental Compatibility and Public Convenience and Necessity in accordance with Sections 58-33-10 et seq., of the Code of Laws of South Carolina, 1976.

103-305. Utilities Rules and Regulations.

Each electrical utility shall adopt Rules, Regulations, Practices, Service Requirements, Terms and Conditions, etc., as may be necessary in the operation of such utility which shall be provided to the ORS and subject to review and order of the commission, unless otherwise specified.

402 FINAL REGULATIONS

SUBARTICLE 2 RECORDS AND REPORTS

103-310. Location of Records and Reports.

All records required by these rules, or necessary for the administration thereof, shall be kept within this State, unless otherwise authorized by the commission. These records shall be available for examination by the ORS or its authorized representatives at all reasonable hours.

103-311. Retention of Records.

Unless otherwise specified by the commission or by regulation, or commission Order governing specific activities, all records required by these Rules and Regulations shall be preserved for a minimum of two years.

103-312. Data to be Filed with the Commission and Provided to the ORS.

1. Annual Report. Each electrical utility operating in this State shall file an Annual Report with the commission and the ORS giving such information as the commission may direct. This Annual Report shall include the same information included in FERC Form 1; thus, the electrical utility can file its FERC Form 1 with the commission and the ORS or an Annual Report with the equivalent information.

2. Current Information and Documents. The electrical utility shall file with the commission and provide to the ORS the following documents and information.

A. Tariff

1. A copy of each electric system's schedule of rates and charges for service, together with applicable riders.

2. A copy of each electric system's Rules and Regulations, or Terms and Conditions describing each electric system's policies and practices in rendering service. These rules shall include a listing of available voltages and service characteristics.

3. Tariffs must be filed with the office of the chief clerk of the commission and, on that same day, provided to the Executive Director of the ORS.

B. Customer Bill

A copy of each type of bill form used in billing for electric service must be provided to the ORS.

C. Operating Area Map

1. Suitable maps and "one-line diagrams" shall be made available to the ORS showing the size, character and location of each main transmission circuit and generating stations and main substations.

2. When an application for a Certificate of Public Convenience and Necessity is made by an electrical utility, a section of map showing the proposed line extension shall accompany such application.

D. Authorized Representative

The electrical utility shall advise the commission and the ORS of the name, address and telephone number of the person, or persons, to be contacted in connection with:

a. General management duties.

- b. Customer relations (complaints).
- c. Engineering and/or Operations.
- d. Meter tests and repairs.
- e. Emergencies during non-office hours.

E. Contract Forms

A copy of the electrical utility's electric power contract form, and special electric power contract forms for customer service is to be provided to the ORS.

103-313. Inspection of Utility Plant.

A. Each utility shall, upon request of the commission or the ORS, provide the ORS with a statement regarding the condition and adequacy of its plant, equipment, facilities and service in such form as the commission or the ORS may require.

B. Each utility shall keep sufficient records to give evidence of compliance with its inspection programs as set forth in subarticles 5 and 6 of these rules and regulations.

103-314. Interruption of Service.

Each electrical utility shall keep a record of any condition resulting in any interruption of service affecting its entire system or major division thereof, or any major community, or an important division of such a community, including a statement of the time, duration, and cause of any such interruption. The commission and the ORS are to be notified of any such interruptions as soon as practicable after it comes to the attention of the utility and a complete report made to the commission and the ORS after restoration of service if such interruption is for more than six hours duration.

103-315. Incidents.

A. Each electrical utility shall, as soon as practicable, report to the ORS each material incident in connection with the operation of the electrical utility's property, facilities, or service including, but not limited to: (a) serious injury or death of any person; (b) evacuation; and (c) damage to a customer's or third party's property that will require, in the electrical utility's commercially reasonable estimation, repair costs in excess of \$15,000. Such first report shall later be supplemented within thirty (30) days by a statement of the cause and details of the incident, based on the facts then known to the electrical utility, and the measures, if any, that have been taken to reduce the risk of similar incidents in the future.

B. Each electrical utility shall establish and follow procedures for analyzing, reporting, and minimizing the possibilities of any future incidents.

103-316 is deleted.

103-317. Meter History Records.

Each electrical utility shall maintain records of the following data, where applicable, for each billing meter for so long as such meter is in possession of the electrical utility and for at least twelve months thereafter.

- a. Date of Purchase.

404 FINAL REGULATIONS

- b. The complete identification-manufacturer, number, type, size, capacity, multiplier and/or constants.
- c. The dates of installation and removal from service, together with the location, unless otherwise directed by the commission.

103-318. Meter, Test, Records and Reports.

Each electrical utility shall maintain records of tests made of any billing meter. The record of the meter test shall be maintained for a minimum of three years after the meter's retirement. Test records shall include the following:

- a. The date and reason for the test.
- b. The reading of the billing meter before making any test.
- c. Information necessary for identifying the meter.
- d. The result of the test, together with all data taken at the time of the test in sufficiently complete form to permit convenient checking of the methods employed and the calculations.
- e. The accuracy "as found" at "Light Load" and at "Full Load", or "Test Amperes".
- f. The accuracy "as left" at "Light Load" and at "Full Load", or "Test Amperes".

SUBARTICLE 3 METERS

103-320. Meter Requirements.

Service shall be measured by meters furnished by the electrical utility unless otherwise ordered by the commission, and such meters shall maintain the degree of accuracy as set forth in 103-323.

103-321. Meter Reading.

Unless extenuating circumstances prevent, meters shall be read and bills rendered on a monthly basis not less than twenty-eight days nor more than thirty-four days.

103-322. Meter Reading Data.

The Meter Reading Data maintained by the electrical utility shall include:

- a. Customer's name, service address and rate schedule designation.
- b. Identifying number and/or description of the meter(s).
- c. Meter readings.
- d. If the reading has been estimated.
- e. Location of meter or special reading instructions, if applicable.

103-323. Meter Accuracy and Condition.

A. Creeping: No watt-hour meter which registers on "no load" when the applied voltage is less than one hundred and ten (110%) percent of standard service voltage shall be placed in service or allowed to remain in service.

B. No watt-hour meter shall be placed in service which is in any way defective to impair its performance, or which has incorrect constants or which has not been tested individually or under a sample meter testing plan approved by the commission for accuracy of measurements and adjusted, as specified in 103-373(2), if necessary, to meet these requirements:

Average error not over 0.5% plus or minus;

Error at "Full Load" (test amperes) not over 0.5% plus or minus;

Error at "Light Load" not over 1.0% plus or minus.

103-324. Meter Seal.

Immediately after the pre-installation or field test of a meter, the manufacturer or the electrical utility shall affix a seal or locking device in order to avoid tampering. The meter installation shall be sealed or locked to help prevent tampering or theft of current.

103-325. Location of Meters.

103-326. Change in Character of Service.

103-327. Master Metering.

A. All service delivered to new multi-occupancy residential premises at which units of such premises are separately rented, leased or owned shall be delivered by an electrical utility on the basis of individual meter measurement for each dwelling.

B. Any exception to the provisions of paragraph A., supra, must be approved by the commission upon its determination that individual metering to such premises is impractical and unreasonable.

C. Service to structures for which permits were issued or construction started prior to January 23, 1981, shall not be affected by the provisions contained herein.

D. Commercial premises with master metered service established prior to October 31, 1980, which are later converted to residential use shall not be affected by provisions contained herein.

SUBARTICLE 4 CUSTOMER RELATIONS

103-330. Customer Information.

Each electrical utility shall:

a. Maintain up-to-date maps, plans, or records of its entire transmission and distribution systems, with such other information as may be necessary to enable the electrical utility to advise prospective customers, and others entitled to the information, as to the facilities available for serving customers within its operating area.

406 FINAL REGULATIONS

- b. Provide to each new residential and small commercial customer, within sixty days of application for service, a clear and concise explanation of the available rate schedules for the class of service for which the customer makes application for service.
- c. Provide to each residential and small commercial customer to whom more than one rate schedule is reasonably available a clear and concise summary of the existing rate schedules applicable to the customer's class of service at least once a year.
- d. Notify each affected customer of any proposed adjustment in rates and charges, excluding adjustment of base rates for fuel costs within sixty days of the date of the filing of such adjustment or as otherwise directed by the commission.
- e. Provide to each customer, upon request, a clear and concise statement of the actual consumption of electrical energy by such customer for the previous twelve months.
- f. Post a notice in a conspicuous place in each office of the electrical utility where applications for service are received, informing the public that copies of the rate schedules and rules relating to the service of the electrical utility, as filed with and approved by the commission, are available for inspection.
- g. Upon request, inform its customers as to the method of reading meters, as to billing procedures and shall assist customers in selecting the most economical rate schedule applicable and method of metering the service, except as otherwise provided for by the commission.
- h. Provide adequate means (telephone, etc.) whereby each customer can contact the electrical utility or its authorized representative at all hours in cases of emergency or unscheduled interruptions of service.
- i. Upon request, give its customers such information and assistance as is reasonable in order that customers may secure safe and efficient service.
- j. Notify any person making a complaint recorded pursuant to 103-345 that the electrical utility is under the jurisdiction of the commission and the customer may notify the ORS of the complaint.

103-331. Customer Deposits.

A. Each electrical utility may require from any customer or from any prospective customer, a deposit intended to guarantee payment of bills for service, if any of the following conditions exist:

1. The customer's past payment record to an electrical utility shows delinquent payment practice, i.e., customer has had two consecutive thirty-day arrears, or more than two non-consecutive thirty-day arrears in the past twenty-four months, or
2. A new customer cannot demonstrate that he is a satisfactory credit risk by appropriate means including, but not limited to, a letter of good credit from an electrical utility, references which may be quickly and inexpensively checked by the Company or cannot furnish an acceptable cosigner or guarantor on the same system within the State of South Carolina to guarantee payment up to the amount of the maximum deposit, or
3. A customer has no deposit and presently is delinquent in payments, i.e., has had two consecutive thirty-day arrears, or more than two non-consecutive thirty-day arrears in the past twenty-four months, or
4. A customer has had his service terminated for non-payment or fraudulent use.

B. Each electrical utility shall inform each prospective customer of the provisions contained in this rule.

103-332. Amount of Deposits.

A. A maximum deposit may be required up to an amount equal to an estimated two months (sixty days) bill for a new customer or a maximum deposit may be required up to an amount equal to the total actual bills of the highest two consecutive months based on the experience of the preceding twelve months or portion of the year, if on a seasonal basis.

B. All deposits may be subject to review based on the actual experience of the customer. The amount of the deposit may be adjusted upward or downward to reflect the actual billing experience and payment habits of the customer.

C. A schedule of deposits based upon an analysis of sixty days' usage for categories of customers may be utilized in determining deposits required by the electrical utility upon being provided to the ORS and filed and approved by the commission.

D. Special offerings may be exempt as determined by the commission; i.e., subdivision lighting, outdoor lighting, etc.

103-333. Interest on Deposits.

A. Simple interest on deposits at the current effective interest rate per annum prescribed by order of the Public Service Commission shall be paid by the electrical utility to each customer required to make such deposit for the time it is held by the electrical utility, provided that no interest need be paid unless the deposit is held longer than six months.

B. The interest shall be accrued annually and payment of such interest shall be made to the customer at least every two years or less and at the time the deposit is returned.

C. The deposit shall cease to draw interest on the date it is returned, on the date service is terminated, or on the date notice is sent to the customer's last known address that the deposit is no longer required.

103-334. Deposit Records.

103-335. Deposit Receipt.

103-336. Deposit Retention.

Deposit shall be refunded completely with interest after two years unless the customer has had two consecutive thirty-day arrears, or more than two non-consecutive thirty-day arrears, in the past twenty-four months.

103-337. Unclaimed Deposits.

A record of each unclaimed deposit must be maintained for at least one year, during which time the electrical utility shall make a reasonable effort to return the deposit. Unclaimed deposits, together with accrued interest, shall be turned over to the S. C. State Treasurer as prescribed by state law.

103-338. Deposit Credit.

Where a customer has been required to make a guarantee deposit, this shall not relieve the customer of the obligation to pay the service bills when due. Where such deposit has been made and service has been discontinued for reason of non-payment of bill, or otherwise, an electrical utility shall apply the deposit of such customer toward the discharge of such account and shall, as soon thereafter as practicable, refund the customer any excess of the deposit. If, however, the customer whose service has been disconnected for non-

408 FINAL REGULATIONS

payment, pays the full amount billed within seventy-two hours after service has been disconnected and applies for reconnection, the electrical utility may not charge an additional deposit except under the provisions of regulation 103-332.

103-339. Customer Billing.

The electrical utility shall bill each customer as promptly as possible following the reading of the meter and render a receipt of payment upon request.

1. **New Service.** Meters shall be read at the initiation and termination of any service and billing shall be based thereon.

2. **Bill Forms.** The bill shall show:

a. The reading of the meter at the beginning and at the end of the period for which the bill is rendered.

b. The date on which the meter was read, and the date of billing and the latest date on which it may be paid without incurring a penalty, and the method of calculating such penalty.

c. The number and kind of units metered.

d. The applicable rate schedule, or identification of the applicable rate schedule. If the actual rates are not shown, the bill shall carry a statement to the effect that the applicable rate schedule will be furnished on request.

e. Any estimated usage shall be clearly marked with the word "estimate" or "estimated bill".

f. Any conversions from meter reading units to billing units or any information necessary to determine billing units from recording or other devices, or any other factors used in determining the bill. In lieu of such information on the bill, a statement must be on the bill advising that such information can be obtained by contacting the electrical utility's local office.

g. Amount for electrical usage (base rate).

h. Amount of South Carolina Sales Tax (dollars and cents).

i. Total amount due.

j. Number of days for which bill is rendered or beginning and ending dates for the billing period.

3. **Late Payment Charges.** A charge of no more than one and one-half percent (1 1/2 %) may be added to any unpaid balance not paid within twenty-five days of the billing date to cover the cost of collection and carrying accounts in arrears. This method of late-payment charge will be made in lieu of any other penalty.

4. **Payment.** The electrical utility, at its option for good cause, may refuse to accept a check, debit card, credit card or other electronic payment tendered as payment on a customer's account. "Good cause" must be justified by an electrical utility by evidencing a credit history problem or by evidencing insufficient funds of the utility customer or applicant.

5. **Charges for Discontinuance and Reconnection.** Whenever service is turned off for violation of rules and regulations, nonpayment of bills, or fraudulent use of service, the electrical utility may make reasonable charges, to be approved by the commission, for the cost incurred in discontinuing the service and reconnection and require payment for service billed and for service used which has not previously been billed.

6. Estimated Bills. Each electrical utility shall not send a customer an estimated bill, except for a good cause, where the meter could not be read or was improperly registering. In no instance will more than one estimated bill be rendered within a sixty-day period, unless otherwise agreed to by the customer.

103-340. Adjustment of Bills.

If it is found that an electrical utility has directly or indirectly, by any device whatsoever, demanded, charged, collected or received from any customer a greater or lesser compensation for any service rendered or to be rendered by such electrical utility than that prescribed in the schedules of such electrical utility applicable thereto, then filed in the manner provided in Chapter 27 of Title 58 of the South Carolina Code of Laws; or if it is found that any customer has received or accepted any service from an electrical utility for a compensation greater or lesser than that prescribed in such schedules; or if, for any reason, billing error has resulted in a greater or lesser charge than that incurred by the customer for the actual service rendered, then the method of adjustment for such overcharge or undercharge shall be as provided by the following:

1. Fast or Slow Meters. If the overcharge or undercharge is the result of a fast or slow meter, then the method of compensation shall be as follows:

a. In case of a disputed account, involving the accuracy of a meter, such meter shall be tested upon request of the customer, as specified in 103-370(2).

b. In the event that the meter so tested is found to have an error in registration of more than two (2) per cent, the bills will be increased or decreased accordingly, but in no case shall such a correction be made for more than sixty days.

2. Customer Willfully Overcharged. If the electrical utility has willfully overcharged any customer, except as provided for in 1 of this rule then the method of adjustment shall be as provided in the S. C. Code Ann. § 58-27-960, and § 58-27-2410 et seq. (1976).

3. Customer Inadvertently Overcharged. If the electrical utility has inadvertently overcharged a customer as a result of a misapplied schedule, an error in reading the meter, a skipped meter reading, or any other human or machine error, except as provided in 1 of this rule, the electrical utility shall, at the customer's option, credit or refund the excess amount paid by that customer or credit the amount billed as provided by the following:

a. If the interval during which the customer was overcharged can be determined, then the electrical utility shall credit or refund the excess amount charged during that entire interval provided that the applicable statute of limitations shall not be exceeded.

b. If the interval during which the customer was overcharged cannot be determined then the electrical utility shall credit or refund the excess amount charged during the twelve-month period preceding the date when the billing error was discovered.

c. If the exact usage and/or demand incurred by the customer during the billing periods subject to adjustment cannot be determined, then the refund shall be based on an appropriate estimated usage and/or demand.

4. Customer Undercharged Due to Willfully Misleading Company. If the electrical utility has undercharged any customer as a result of a fraudulent or willfully misleading action of that customer, or any such action by any person (other than the employees or agents of the electrical utility), such as tampering with, or bypassing the meter when it is evident that such tampering or bypassing occurred during the residency of that customer, or if it is evident that a customer has knowledge of being undercharged without notifying the electrical utility as such, then notwithstanding 1 of this rule, the electrical utility shall recover the deficient amount provided as follows:

410 FINAL REGULATIONS

a. If the interval during which the customer was undercharged can be determined, then the electrical utility shall collect the deficient amount incurred during that entire interval, provided that the applicable statute of limitations is not exceeded.

b. If the interval during which the customer was undercharged cannot be determined, then the electrical utility shall collect the deficient amount incurred during the twelve-month period preceding the date when the billing error was discovered by the electrical utility.

c. If the usage and/or demand incurred by that customer during the billing periods subject to adjustment cannot be determined, then the adjustment shall be based on an appropriate estimated usage and/or demand.

d. If the metering equipment has been removed or damaged, then the electrical utility shall collect the estimated cost of repairing and/or replacing such equipment.

5. Equal Payment Plans. An electrical utility may provide payment plans wherein the charge for each billing period is the estimated total annual bill divided by the number of billing periods prescribed by the plan. The difference between the actual and estimated annual bill is to be resolved by one payment at the end of the equal payment plan year, unless otherwise approved by the commission. However, any incorrect billing under equal payment plans shall be subject to this rule.

6. Customer Undercharged Due to Human or Machine Error. If the electrical utility has undercharged any customer as a result of a misapplied schedule, an error in reading the meter, a skipped meter reading, or any human or machine error, except as provided in 1, 2 and 4 of this rule then the electrical utility may recover the deficient amount as provided as follows:

a. If the interval during which a consumer having a demand of less than 50 KW was undercharged can be determined, then the electrical utility may collect the deficient amount incurred during that entire interval up to a maximum period of six months. For a consumer having a demand of 50 KW or greater, the maximum period shall be twelve months.

b. If the interval during which a consumer was undercharged cannot be determined, then the electrical utility may collect the deficient amount incurred during the six-month period preceding the date when the billing error was discovered by the electrical utility. For a consumer having a demand of 50 KW or greater, the maximum period shall be twelve months.

c. The customer shall be allowed to pay the deficient amount, in equal installments added to the regular monthly bills, over the same number of billing periods which occurred during the interval the customer was subject to pay the deficient amount.

d. If the usage and/or demand incurred by that person during the billing periods subject to adjustment cannot be determined, then the adjustment shall be based on an appropriate estimated usage and/or demand.

103-341. Applications for Service.

1. Method. Applications for service may be oral or in writing.

2. Obligation. The applicant shall, at the option of the electrical utility, be required to sign a service agreement or a contract. In the absence of such service agreement or contract, the accepted application shall constitute a contract between the electrical utility and the applicant, obligating the applicant to pay for service in accordance with the electrical utility's tariff or rate schedule currently on file with the commission and the ORS, and to comply with the commission's and the electrical utility's rules and regulations governing service supplied by the electrical utility.

3. Termination. When a customer desires to have his service terminated, he must notify the electrical utility; such notification may be oral or in writing. The electrical utility shall be allowed a reasonable period of time after the receipt of such a notice to take a final reading of the meter and to discontinue service.

103-342. Reasons For Denial or Discontinuance of Service.

Unless otherwise stated, a customer shall be allowed a reasonable time in which to correct any discrepancy which may cause discontinued service. Service may be denied or discontinued for any of the following reasons:

- a. Without notice in the event of a condition determined by the electrical utility to be hazardous or dangerous.
- b. Without notice in the event of customer's use of equipment in such a manner as to adversely affect the electrical utility's service to others.
- c. Without notice in the event of unauthorized or fraudulent use, excluding tampering, of the electrical utility's service, i.e.:
 - 1. Misrepresentation of the customer's identity.
 - 2. For reconnection of service by customer who has had service discontinued for violation of and/or noncompliance with the commission's regulation 103-342, et seq.
- d. Tampering.

After the customer has applied for and/or received service from the electrical utility, he shall make every reasonable effort to prevent tampering with the meter and service drop serving his premises. A customer shall notify the electrical utility, as soon as possible, of any tampering with, damage to, or removal of any equipment.

Tampering with meters or with conductors carrying unmetered current and unauthorized breaking of electrical utility's seals is prohibited by law and shall not be tolerated by the electrical utility. Such meter tampering shall include but shall not be limited to, unassigned meters, altered meters, upside down meters, or the attachment to a meter or distribution wire of a device, mechanism or wire which would permit the use of unmetered electricity. Should the electrical utility find that the meter, conductors, or seals have been tampered with, the electrical utility shall give notice to the customer of possible discontinuance of service. Service may be continued or reconnected consistent with the following:

- 1. A customer can stop discontinuance of service or have service reconnected by paying a reasonable charge for an inspection (to insure proper operating conditions), a reasonable reconnect fee, and charges to compensate for any damage to the electrical utility's facilities.
- 2. A customer's bill may be adjusted to reflect normal usage should any tampering reflect other than normal meter readings and the customer's bill may include the establishment of a deposit in accordance with the commission's regulation 103-332 et seq.

Nothing herein shall prevent the electrical utility from instituting appropriate legal actions for violations and/or noncompliance with the commission's regulations.

- e. For failure of the customer to fulfill his contractual obligations for service and/or facilities subject to regulation by the commission.
- f. For failure of the customer to permit the electrical utility reasonable access to its equipment.

412 FINAL REGULATIONS

g. For nonpayment of bill for service rendered provided that the electrical utility has made reasonable efforts to effect collection and has complied with the provisions of regulation 103-352.

h. For failure of the customer to provide the electrical utility with a deposit as authorized by regulation 103-331.

i. For failure of the customer to furnish permits, certificates, and rights-of-way, as necessary to obtain service, or in the event such permissions are withdrawn or terminated.

j. For failure of the customer to comply with reasonable restrictions on the electrical utility's service, provided that notice has been given to the customer and that written notice has been furnished to the commission and the ORS.

k. No electrical utility shall be required to furnish its service or to continue its service to any applicant who, at the time of such application, is indebted or any member of his household is indebted, under an undisputed bill to such electrical utility for service previously furnished such applicant or furnished any other member of the applicant's household. However, for the purposes of this regulation, the electrical utility may not consider any indebtedness which was incurred by the applicant or any member of his household more than six years prior to the time of application.

l. The electrical utility may terminate a customer's service should the customer be in arrears on an account for service at another premise.

m. For the reason that the customer's use of the electrical utility's service conflicts with, or violates orders, ordinances or laws of the State or any subdivision thereof, or of the commission.

103-343. Insufficient Reason for Denying Service.

103-344. Right of Access.

Authorized agents of the electrical utility shall have the right of access to premises supplied with electric service, at reasonable hours, for the purpose of reading meters, maintenance, repair, and for any other purpose which is proper and necessary in the conduct of the electrical utility's business. Such agents shall, upon request of a customer, produce proper identification and inform the customer of the purpose of necessary access to the occupied premises.

103-345. Complaints.

A. Complaints concerning the charges, practices, facilities, or service of the electrical utility shall be investigated promptly, thoroughly, and professionally. The electrical utility shall keep such records of customer complaints to include the name and address of the complainant, the date and character of the complaint, and the adjustment or disposal made thereof as will enable it to review and analyze its procedures and actions.

B. When the ORS has notified the electrical utility that a complaint has been received concerning a specific account, the electrical utility shall refrain from discontinuing the service of that account until the ORS's investigation is completed and the results have been received by the electrical utility. Service shall not be discontinued if the complainant requests in writing a hearing before the commission within fifteen days of the ORS mailing the results of the ORS investigation, along with a copy of regulation 103-345, to the complainant. If the complainant does not file the complaint with the commission within fifteen days, service can be discontinued.

103-346. Rates for Service, Rate Schedules, Rules and Regulations.

Copies of all schedules of rates for service, forms of contracts for service, charges for service connections and of all rules and regulations covering the relations of customer and electrical utility, shall be provided to the ORS and the commission by each electrical utility and approved by the commission in the office of the commission. Complete schedule, contract forms, rules and regulations, etc., as filed with and approved by the commission, shall also be on file in the local offices of the electrical utility and shall be available for inspection by the public.

103-347. System Which Electrical Utility Must Maintain.

Each electrical utility, unless specifically relieved by the commission from such obligation, shall operate and maintain in a safe, efficient and proper condition all of the facilities and equipment used in connection with the regulation, measurement and electric service to any customer up to and including the point of delivery into the facilities owned by that customer.

103-348. System Extensions.

Each electrical utility shall be obligated to comply with all requests for service in accordance with its schedules of rates and service rules and regulations on file with the commission and the ORS within areas assigned to it by the commission and within three-hundred feet of its lines as they existed on the date of assignment.

103-349. Replacement of Meters.

Whenever a customer requests the replacement of an electric meter on his premises, such request shall be treated as a request for the test on such meter, and, as such, shall fall under the provisions of regulation 103-373.

103-350. Service Entrance Changes.

Whenever a customer requests the electrical utility to relocate the electrical utility's service entrance, the electrical utility may require reasonable charges to cover the cost incurred to be paid prior to relocation.

103-351. Temporary Service.

103-352. Procedures for Termination of Service.

Prior to the termination of electric service pursuant to R.103-342 e.-m., the following procedures shall be employed by the electrical utility.

a. Not less than ten (10) days prior to termination of service, the electrical utility shall mail a notice of termination to the affected customer. The notice of termination of service shall include, as a minimum, the following information:

1. Address, telephone number and working house of the person(s) to be contacted by the customer for the arrangement of a personal interview with an employee of the electrical utility with the authority to accept full payment or make other payment arrangements.

2. The total amount owed by the customer for electrical services rendered, the date and amount of the last payment and the date by which the customer must either pay in full the amount outstanding or make satisfactory arrangements for payment by installments of such amount.

414 FINAL REGULATIONS

3. Special Needs Customers.

a. A statement that service to a residential customer who qualifies as a special needs account customer shall only be terminated in accordance with S.C. Code Ann. §58-27-2510 *et. seq.*, as amended. All electrical utilities shall publish their procedures for termination of service on their websites.

b. The statement that service to a residential customer during the months of December through March will not be terminated where such customer, or a member of his household at the premises to which service is rendered, can furnish to the utility, no less than (3) days prior to termination of service or to the terminating crew at time of termination, a certificate on a form provided by the utility and signed by a licensed physician, that termination of electric service would be especially dangerous to such person's health. Such certificate must be signed by the customer and state that such customer is unable to pay by installments. A certification shall expire on the thirty-first day from the date of execution by the physician. Such certification may be renewed no more than three (3) times for an additional thirty (30) day period each. Upon renewal of the certification, the electrical utility shall advise the customer that he may wish to call the local social service agency to determine what public or private assistance may be available to him.

4. The availability of investigation and review of any unresolved dispute by the ORS Staff and include the ORS's toll free telephone number.

b. Not more than two business days prior to termination of service, the electrical utility shall make reasonable efforts either by telephone or in person to contact the customers that are subject to termination of service to notify him that his service is subject to termination for non-payment. Alternatively, not more than three business days prior to termination of service, the electrical utility shall notify the customer by mail that he is subject to termination of service for non-payment. The electrical utility shall maintain records of the efforts made to contact such customers. Termination of service may be delayed in case of inclement weather, emergencies or operational conflicts.

c. The electrical utility shall provide for the arrangement of a deferred payment plan to enable a residential customer to make payment by installments where such customer is unable to pay the amount due for electrical service. The deferred payment plan shall require the affected customer to maintain his account current and pay not less than 1/6 of the outstanding balance for a period not to exceed six months. The outstanding balance may include the late payment charge authorized by regulation 103-339(3). Service to such customer shall not be terminated unless the electrical utility has informed the customer that such deferred payment plan is available. Any agreement to extend or defer a payment cut off date by more than five work days is a deferred payment plan. If a customer fails to conform to the terms and conditions of such deferred payment plan, the electrical utility may terminate service upon three days written notice, if personally delivered, or upon five days notice by mail.

d. If a residential customer informs the electrical utility that he is unable to make payment in full on his account or to make arrangements for the satisfaction of the balance of his account through a deferred payment plan, the electrical utility shall advise the customer that he may wish to call the local social service agency to determine what public or private assistance may be available to the customer.

e. The electrical utility shall maintain a record of all deferred payment plans established with customer subject to termination for a period of two years.

f. The electrical utility shall provide a copy of the termination notice to any third party identified by the customer upon establishment of the service account or at any time thereafter.

g. Electric service maybe terminated only on Monday through Thursday between the hours of 8:00 a.m. and 4:00 p.m., unless provisions have been made for the availability of the acceptance of payment and the reconnection of service. Electric service may not be terminated on the day preceding any day on which the

electric utility's collection offices are closed, unless provisions have been made for the availability of the acceptance of payment and the reconnection of service. All employees of electrical utilities assigned to terminate service shall be authorized to accept payment from customers subject to termination of service or in lieu thereof, at the electrical utility's option, allow such customer at least one full working day beyond the initial date set for termination the opportunity to make satisfactory arrangements on the account at the offices of the electrical utility; provided, however, that in certain areas where it has been determined by the electrical utility that the safety of its employees warrants it, those employees shall not be required to accept payments from customers subject to termination.

SUBARTICLE 5 ENGINEERING

103-360. Requirements for Good Engineering Practice.

103-361. Acceptable Standards.

Unless otherwise specified by the commission, after hearing if requested, the electrical utility shall use the applicable provisions of the latest edition, Part 2, of the "National Electrical Safety Code", as minimum standards of accepted good engineering practice.

103-362. Acceptable References.

Part 2 of the "National Electrical Safety Code" (latest edition), is considered by the commission to be an acceptable reference.

New additions to Part 2 of the National Electrical Safety Code shall become effective six months after the date of final approval by the American National Standards Institute unless a request for a hearing has been granted by the commission.

103-363. Adequacy of Service.

1. Operation of Electrical Utility.

A. Standard Frequency--Each electrical utility supplying alternating current shall adopt a standard frequency of 60 Hertz, suitability of which has been determined by the commission, and shall maintain this frequency within 15 seconds plus or minus of standard at all times during which service is supplied; provided, however, that momentary variations of frequency of more than fifteen seconds which are clearly due to no lack of proper equipment or reasonable care on the part of the electrical utility, shall not be construed a violation of this rule.

B. Standard Voltage--Each electrical utility shall adopt standard average voltage for its different classes of constant voltage service. This voltage maintained at the electrical utility mains shall at all times be reasonably constant, and the variations in voltage from the average shall in no case exceed the limitations as prescribed below.

The voltage variations for service should not exceed 10% above or below the standard average voltage.

A greater variation of voltage than specified above may be allowed when service is supplied directly from the transmission line or in a limited or extended area where customers are widely scattered, and the business done does not justify close voltage regulation. In such cases, the best voltage regulation should be provided that is practicable under the circumstances.

Variations in the voltage in excess of those specified, caused by the operation of power apparatus on customers' premises which necessarily requires large starting current by the action of the elements, and by

416 FINAL REGULATIONS

infrequent and unavoidable fluctuations of short duration due to station operation, shall not be construed a violation of this rule.

C. Special Equipment--Where a separate transformer or other additional electrical utility standard equipment or capacity is to be used to eliminate fluctuations or other effects detrimental to the quality of service to other customers the electrical utility may make a reasonable charge for the transformer, equipment and line capacity required. In lieu of the above, the electrical utility may require the customer to either discontinue the operation of the equipment causing the disturbance or install the necessary motor generator set or other apparatus to eliminate the disturbance detrimental to the service of other customers.

D. When only one set of overhead service wires (service drop) is required to connect a residential or small non-residential customers to electric service mains, the electrical utility shall provide such service drop including the attachments at the point where service drop wires are attached to customer's premises, which point shall be the point nearest the electrical utility's electric circuit to be used in supplying service to the customer. The customer shall provide "service entrance facilities" including meter loop, entrance switch or circuit breaker, and service entrance conductors complying with rules of the electrical utility from the point of attachment of the electrical utility's service drop on the customer's premises. The customer shall provide a substantial point of attachment for service drop wires. This provision does not apply to large non-residential or industrial customers' connections as they vary so greatly that each requires special consideration. When service to the customer requires individual electrical utility company facilities (such as oil circuit breakers, transformers, etc.), to be located on customer's premises on the ground or in a vault, the customer shall provide a suitable, adequate and readily accessible space for such facilities and shall insure access at all times. Electrical utility property installed on a customer's premises shall remain property of the electrical utility and may be removed for testing, repairs, changes in service or other conditions justifying change or removal.

E. For substations erected to serve an individual customer, the electrical utility shall provide either suitable supports on the substation structure or a suitable structure outside and immediately adjacent to its substation property line to which the customer shall extend his facilities. The customer in addition shall install, or cause to be installed, all facilities beyond the point of delivery thus established. When required by the electrical utility, the customer shall install one set of main disconnecting switches which shall control all of the customer's load other than a fire pump circuit, if any.

F. The meter installation of the electrical utility may include enclosures that may be locked by the electrical utility and not accessible to the customer.

2. Voltage Surveys and Records.

A. Each electrical utility shall provide itself with suitable indicating and/or recording voltmeters, and shall make a sufficient number of voltage tests periodically so as to insure compliance with the voltage requirements cited above. These tests shall be made at appropriate points upon the electrical utility's distribution lines.

B. Each electrical utility shall have installed at its generating stations suitable instruments to indicate the frequency and voltage of the service rendered from that station, together with the load or loads demanded in each such station. Each electrical utility shall keep a station record at attended stations which shall show: (1) the time of starting and shutting down the generating units; (2) readings of such instruments as necessary; and (3) all interruptions to service affecting bus bars or distribution systems, with the time, duration, and the cause (when known) of the interruption.

**SUBARTICLE 6
INSPECTIONS AND TESTS**

103-370. Electrical Utility Inspection and Tests.

Each electrical utility shall make such tests as are prescribed under these rules with such frequency and in such manner and at such places as is herein provided or requested by the ORS or as may be approved or ordered by the commission.

1. All electric meters shall be tested and calibrated under the applicable periodic or sample testing plan as prescribed by the American National Standards Institute (ANSI) Standard C12 – Code of Electricity Meters. Results from sample-tested meters shall be communicated to the ORS on an annual basis.

2. Meter Testing on Request of Customers.

A. Each electrical utility shall, at any time (when requested in writing by a customer) upon reasonable notice, test the accuracy of the meter in use by him.

B. No deposit or payment shall be required from the customer for such meter test except when a customer requests a meter test within one year after date of installation or the last previous test of a meter, in which case he shall be required upon request by the electrical utility to deposit the estimated cost of the test, but not to exceed \$15.00 without approval of the commission. The amount so deposited with the electrical utility shall be refunded or credited to the customer, if the meter is found, when tested, to register more than 2% fast or slow, otherwise the deposit shall be retained by the electrical utility.

C. A customer may request to be present when the electrical utility conducts the test on his meter, or if he desires, may send a representative appointed by him. The electrical utility shall honor such request.

D. A report giving the name of the customer requesting the test; the date of the request; the location of the premises where the meter has been installed; the type, make, size, and serial number of the meter; the date of removal; the date tested; and the result of the test shall be kept by the electrical utility.

103-371. ORS Inspections and Tests.

The ORS shall make tests of meters as follows:

a. Upon written request to the commission or ORS by a customer or an electrical utility, a test will be made of the customer's meter as soon as practicable.

b. On receipt of such request, the ORS shall notify the electrical utility, and the electrical utility shall not knowingly remove or adjust the meter until instructed by the ORS. The ORS shall supervise the test of the meter, using the standard approved by the commission with such standard being compared with the electrical utility's standard. The results of the test shall be made available to the customer.

c. The customer shall be notified of the test in sufficient time to allow the customer or the customer's representative to be present.

d. The ORS shall make a written report of the results of the test to the customer and to the electrical utility.

103-372. Facilities and Equipment for Testing.

A. Each electrical utility furnishing metered electric service shall, unless specifically excused by the commission, provide and have available such meter laboratory, standard meters, instruments and facilities as

418 FINAL REGULATIONS

may be necessary to make the tests required by these rules or other orders of the commission or as requested by the ORS, together with such portable indicating electrical testing instruments, watt-hour testing meters, and facilities of suitable type and range for testing service watt-hour meters, voltmeters and other electrical equipment, used in its operation, as may be deemed necessary and satisfactory to the commission or the ORS.

B. All portable indicating electrical testing instruments such as voltmeters, ammeters and wattmeters, when in regular use for testing purposes, shall be checked against suitable reference standards whenever used in testing service meters of the electrical utility.

C. When the size of the electrical utility is such that it is more economical to contract for meter testing, such procedure is authorized provided the contract work is done by a recognized meter testing laboratory.

103-373. Test Procedures and Accuracies.

1. Method of Determining Average Error of Meters.

A. Field testing the average error of a service watt-hour meter shall be determined as follows: The error at Light Load, here defined as approximately 10% of the rated capacity (Test Amperes) of the meter, shall be determined by taking the average of at least two errors determined from as many separate tests on the same Light Load, which error must agree within one-half percent (1/2 %).

In the same manner, the error at Full Load, here defined as approximately the rated capacity (Test Amperes) of the meter, shall be determined. The average error of the meter shall then be determined by taking the average error at Light Load plus four times the error at Full Load (Test Amperes) and dividing this sum by five, proper consideration being taken of the sign of the two errors.

B. Meter Shop Testing--When an electronic test board is used, the average error of a watt-hour meter shall be determined as follows: The error at Light Load, here defined as approximately 10% of the rated capacity (Test Amperes) of the meter, shall be determined. The error at Full Load, here defined as approximately the rated capacity of the meter or Test Amperes, shall be determined. The average error of the meter shall then be determined by taking the error at Light Load plus four times the error at Full Load (Test Amperes) and dividing this sum by five, proper consideration being taken of the sign of the two errors.

2. Meter Accuracy.

A. Creeping: No watt-hour meter which registers on "no load" when the applied voltage is less than one hundred and ten (110%) percent of standard service voltage shall be placed in service or allowed to remain in service.

B. Initial Accuracy Requirements--No watt-hour meter shall be in service which is in any way defective to impair its performance, or which has incorrect constants, or which has not been tested individually or under a sample meter testing plan approved by the commission for accuracy of measurement and adjusted, if necessary, to meet these requirements at unity power factor:

Average error not over 0.5% plus or minus;

Error at Full Load (Test Amperes) not over 0.5% plus or minus;

Error at Light Load not over 1.0% plus or minus.

C. Adjustment After Test--Whenever a test made by an electrical utility, contract vendor by or on behalf of the electrical utility or by the ORS on a service watt-hour meter connected in its permanent position in place of

service shows that the average error is greater than that specified allowed above, the meter shall be adjusted to bring the average error within the specified initial accuracy limits, or the meter shall be replaced.

3. Test Instruments.

Each electrical utility shall own and maintain such standard watt-hour meters, such instrument transformers, voltmeters, ammeters and such other instruments necessary in maintaining the accuracy of its standards used in testing the meters serving its customers.

**SUBARTICLE 7
STANDARDS AND QUALITY OF SERVICE**

103-380. Quality of Service.

103-381. Interruption of Service.

103-382. Restrictions on the Use of Service.

A. The electrical utility may impose reasonable restrictions on the use of electric service during periods of shortage of supply, excessive demand or other difficulty which jeopardizes the supply of service to any group of customers.

B. The electrical utility may impose reasonable restrictions on the use of electric service by customers who create conditions which prevent the electrical utility from supplying satisfactory service to that customer, or to other customers.

C. If an electrical utility finds that it is necessary to restrict the use of electric service, it shall notify its customers and give the commission written notice, except in emergencies, before such restriction becomes effective. Such notification shall specify:

1. The reason for restriction.

2. The nature and extent of the restriction, i.e., amount and time of use by certain classes of customers, etc.

3. The date such restriction is to go into effect.

4. The probable date of termination of such restriction.

D. The electrical utility shall not be required to furnish service to customers whose equipment is operated in such manner as to cause unreasonable voltage fluctuations on the electrical utility's circuits, which fluctuations are detrimental to service to other customers.

103-383. Special Tests.

**SUBARTICLE 8
SAFETY**

103-390. Acceptable Standards.

As criteria of accepted good safety practice of the electrical utility, the commission shall use the applicable provisions of the standards listed in regulation 103-361.

103-391. Protective Measures.

420 FINAL REGULATIONS

A. Each electrical utility shall exercise reasonable care to reduce the hazards to which its employees, its customers and the general public may be subjected.

B. The electrical utility shall give reasonable assistance to the ORS in the investigation of the cause of incidents and shall give reasonable assistance to the commission and the ORS in the determination of suitable means of preventing incidents.

C. Each electrical utility shall maintain a summary of all reportable incidents arising from its operations. (See regulation 103-315.)

103-392. Safety Programs.

ARTICLE 4 GAS SYSTEMS SUBARTICLE 1 GENERAL

103-400. Authorization of Rules.

A. Section 58-5-210 of the Code of Laws of South Carolina, 1976, provides: "That the Public Service Commission is hereby, to the extent granted, vested with power and jurisdiction to supervise and regulate the rates and service of every 'Public Utility' in this State as defined in this Act, together with the power, after hearing, to ascertain and fix such just and reasonable standards, classifications, regulations, practices and measurements of service to be furnished, imposed, observed and followed by every public utility in this State, and the State hereby asserts its rights to regulate the rates and services of every 'Public Utility' as herein defined."

In accordance with the above provisions, the Public Service Commission has adopted the following Rules and Regulations and fixed the following standards for gas service. All previous rules or standards are hereby revoked, annulled, and superseded.

B. The adoption of these rules shall in no way preclude the Public Service Commission from altering, amending or revoking them in whole or in part, or from requiring any other or additional service, equipment, facility or standard, either upon complaint or upon its own motion, or upon the application of any utility.

Furthermore, these rules shall not in any way relieve the commission, the Office of Regulatory Staff, or the utilities of any duties under the laws of this State.

103-401. Application of Rules.

1. Jurisdiction. These rules shall apply to any person, firm, partnership, association, establishment, or corporation which is now or may hereafter become engaged as a public utility in the business of furnishing gas to any gas customer within the State of South Carolina, except where municipalities or agents thereof, and/or any gas authorities are specifically exempted by statute.

2. Purpose. The rules are intended to define good practice. They are intended to insure adequate and reasonable service. The utilities shall assist the commission in the implementation of these rules and regulations.

3. Waiver of Rules. In any case where compliance with any of these rules and regulations introduces unusual difficulty or where circumstances indicate that a waiver of one or more rules or regulations is otherwise appropriate, such rules or regulations may be waived by the commission upon a finding by the commission that such waiver is not contrary to the public interest.

103-402. Definitions.

The following words and terms, when used in these rules, shall have the meaning indicated:

1. Commission. "Commission" means the Public Service Commission of South Carolina.
2. Consolidated Political Subdivision. A "consolidated political subdivision" means that it exists pursuant to the Constitution of this State, and shall not be deemed a city, town, county, special purpose district or other governmental unit merged thereinto.
3. Customer. "Customer" means any person, firm, association, establishment, partnership or corporation, or any agency of the Federal, State, or local government, being supplied with gas service by a gas utility under the jurisdiction of this commission.
4. Gas. "Gas" or "Natural Gas" means either natural gas unmixed, or any mixture of natural and manufactured gas, including but not limited to, synthetic natural gas and liquefied petroleum.
5. Gas Service. "Gas Service" means those functions performed by a gas utility for its customers, including the purchase and/or manufacture of gas, storage of gas, transportation and delivery of gas to the customer.
6. Gas System. "Gas System" includes any gas utilities operating within this State, including gas authorities, municipalities, public service districts and other political subdivisions of this State insofar as they are within the jurisdiction of the commission for regulation of safety standards and conditions, pursuant to S. C. Code Ann. § 58-5-920(f) (1976).
7. Gas Utility. "Gas Utility" includes every privately-owned corporation, firm or person furnishing or supplying gas service to the public, or any portion thereof, for compensation. Provided, however, this term shall not include any gas utility owned or operated by any municipality or agency thereof; nor shall it include any gas utility owned or operated by any gas authority specifically exempted by statute from the jurisdiction of the commission.
8. Municipality. "Municipality" includes a city, town, county, township and any other corporation existing, created or organized as a governmental unit under the Constitution and Laws of this State.
9. ORS. "ORS" means the Office of Regulatory Staff.
10. PHMSA. Pipeline and Hazardous Materials Safety Administration of the United States Department of Transportation ("DOT").
11. Rate. "Rate" when used in these Rules and Regulations means and includes every compensation charge, toll, rental, and classification, or any of them, demanded, observed, charged or collected by any gas utility for any gas service offered by it to the public, and any rules, regulations, practices or contracts affecting any such compensation, charge, toll, rental or classification.

103-403. Authorization for Rates and Charges.

- A. All rates, tolls and charges proposed to be put into effect by any gas utility shall be first approved by the commission before they shall become effective, unless they are exempt from such approval by statute, Order of this commission, or other provision of law.
- B. No schedule of rates, tolls, or charges under jurisdiction of the commission, differing from the approved tariffs or rates, shall be changed until after proposed change has been approved by the commission.

422 FINAL REGULATIONS

C. No rates, tolls, charges, nor service of any gas utility shall be deemed approved nor consented to by mere filing of schedules or other evidence thereof in the offices of the commission, unless such proposed adjustment is made in accordance with tariff provisions which have previously been approved by the commission.

D. All contracts between any industrial customer and any gas utility which establish or adjust rates for that industrial customer may become effective as of the dates of the contracts unless disapproved or modified by the commission in the public interest. Such contracts shall be provided to the ORS and filed with the commission within seven (7) days of execution.

103-404. Territory and Certificates.

A. No public utility supplying gas to the public shall hereafter begin the construction or operation of any gas facility, or of any extension thereof, without first obtaining from the commission a certificate that public convenience and necessity requires or will require such construction or operation; such certificate to be granted only after notice to ORS, other interested gas utilities and to the public, and after due hearing; provided, however, that this regulation shall not be construed to require any such gas utility to secure a certificate for any extension within any municipality or district within which it has heretofore lawfully commenced operations, or for an extension within or to territory already served by it, necessary in the ordinary course of its business, or for an extension into territory contiguous to that already occupied by it and not receiving similar service from another gas utility; but if any gas utility in constructing or extending its lines, plant or facilities unreasonably interferes, or is about to unreasonably interfere, with the service or system of any other gas utility, the commission may make such order and prescribe such terms and conditions in harmony with this regulation as are just and reasonable.

B. The term "public utilities supplying gas to the public" shall include all utilities supplying gas to the public, including natural gas and manufactured gas when such manufactured gas is used to supplement flowing gas supply.

103-405. Utility Rules and Regulations.

Each gas utility shall adopt such rules, regulations, practices, service requirements, terms and conditions, etc. as may be necessary in the operation of gas service to its customers which shall be provided to the ORS and filed with and subject to review and order of the commission, unless otherwise specified.

SUBARTICLE 2 RECORDS AND REPORTS

103-410. Location of Records and Reports.

All records required by these rules or necessary for the administration thereof, shall be kept within this State, unless otherwise authorized by the commission. These records shall be available for examination by the ORS at all reasonable hours.

103-411. Retention of Records.

1. **Retention Period.** Unless otherwise specified by the commission or by regulations governing specified activities, all records required by these rules and regulations shall be preserved for two years.

2. **Test and Inspection Records.** A complete record shall be kept of all tests and inspections made under these rules as to the quality or condition of service which it renders.

3. Contents of Test Records. All records of tests shall contain complete information concerning the test, including the date, hour, and place where the test was made; the name of the person making the test and the result.

103-412. Data to be Filed with the Commission and Provided to the ORS.

1. Annual Report. Each gas utility operating in this State shall make an annual report to the commission and ORS giving such information as the commission may direct. This Annual Report shall include the same information included in FERC Form 2; thus, the gas utility can file its FERC Form 2 with the commission and the ORS or an Annual Report with the equivalent information.

2. Current Information and Documents. The gas utilities shall file with the commission and provide to the ORS the following documents and information.

2.1. Tariff. A copy of the gas utility's tariff which shall include:

A. A copy of each schedule of rates for service, together with applicable riders.

B. A copy of the gas utility's rules or terms and conditions, describing the gas utility's policies and practices in rendering jurisdictional gas service. These rules shall include:

1. The minimum and maximum heating value of the gas in BTU's per cubic foot.

2. A list of the classes of items which the gas utility furnishes and maintains on the customer's premises, such as service pipe, meters, regulators, vents and shutoff valves.

3. A statement indicating the minimum number of days allowed for payment of the gross amount of the customer's bill before service will be discontinued for non-payment.

4. A statement indicating the volumetric measurement base to which all sales of gas at other than standard delivery pressure are corrected.

C. Tariffs must be filed with the office of the Chief Clerk of the commission and, on that same day, provided to the Executive Director of the ORS.

2.2. Customer Bill. A copy of each type of bill form used in billing for gas service must be provided to the ORS.

2.3. Operating Area Map. A map showing the gas systems operating area. This map shall be revised as necessary and made available to the ORS upon request. The map should show:

a. Gas production plant.

b. Principal storage facilities.

c. Transmission lines and principal mains by size and valves located thereon.

d. System metering (supply) points.

e. State boundary crossings.

f. Certified area and/or territory served.

424 FINAL REGULATIONS

g. Names of all communities (post offices) served.

2.4. Authorized Representative. The gas utility shall advise the commission and ORS of the name, title, address and telephone number of the person or persons who should be contacted in connection with:

- a. General management duties.
- b. Customer relations (complaints).
- c. Engineering and/or operations.
- d. Meter tests and repairs.
- e. Emergencies during non-office hours.

2.5. Contract Forms. A copy of the gas utility's gas service contract forms, and special gas service contract forms shall be provided to the ORS.

2.6. Pipeline Safety. All gas systems subject to pipeline safety regulation shall file with the commission and provide to the ORS those reports, policies and procedures required by the Federal Pipeline Safety Regulations: Minimum Safety Standards for the Transportation of Natural Gas and Other Gas, 49 C.F.R., as amended from time to time, to include, but not limited to, the following:

- a. Inspection and maintenance manual.
- b. Emergency plan.
- c. Welders. Listing of welders and proof of qualifications.

2.7. New Construction. All gas systems subject to pipeline safety regulation shall notify the commission and the ORS of any construction projects meeting either of the criteria below:

- A. Projects resulting in a cost of \$500,000 or more, whether steel, plastic, or other materials are installed or;
- B. Projects involving 25,000 feet of piping or more, whether steel, plastic, or other material(s) are utilized.

103-413. Inspection of Gas Systems.

A. Each gas system shall, upon request of the commission or ORS, provide to the ORS a statement regarding the condition and adequacy of its plant, equipment, facilities and service in such form as the commission or ORS may require.

B. Each gas system shall keep sufficient records to give evidence of compliance with its inspection program.

103-414. Interruption of Service.

Each gas utility shall keep a record of any condition resulting in any interruption of service affecting its entire system or major division thereof, or any major community or any important division, consisting of at least fifty customers, of a community, including a statement of the time, duration and cause of such interruption. The commission and ORS are to be notified by telephone of any such interruption as soon as practicable after it comes to the attention of the gas utility and a complete written report made to the commission and ORS after restoration of service, if such interruption is more than six hours in duration.

103-415. Incidents.

A. Each gas system shall, as soon as possible, report to the ORS each incident occurring wherein there exist either: (a) serious injury or death of any person; (b) property damage in excess of \$5,000, in the gas system's commercially reasonable estimation, including the gas system's cost of lost gas exiting the gas system's lines to a customer's meter and the expense to make repairs to its facilities or property; or (c) an event that is significant in the judgment of the gas system.

B. Each gas system shall establish and follow procedures for analyzing, reporting and minimizing the possibilities of any future incidents.

103-416 is deleted.

103-417. Meter History.

Each gas utility shall maintain records of the following data, where applicable, for each billing meter for so long as such meter is in possession of the gas utility and for at least twelve months thereafter.

a. Date of purchase.

b. The complete identification--manufacturer, number, type, size, capacity, multiplier, and constants.

c. The current and last previous locations, and the dates of installation at and removal from service at such locations.

d. Repairs.

103-418. Meter Test Records and Reports.

A. Each gas utility shall maintain records of at least the last two tests made of any billing meter. The record of the meter test made at time of the meter's retirement shall be maintained for a minimum of two years. Test records shall include the following:

1. The date and reason for the test.

2. The reading of the billing meter before making any test.

3. The accuracy "as found" at check and open rated flow (up to 10,000 cfh).

4. The accuracy "as left" at check and open rated flow (up to 10,000 cfh).

5. In the event test of the meter is made by using a test meter or a flow prover, the gas utility shall retain all data taken at the time of the test in sufficiently complete form to permit the convenient form to permit the convenient checking of the test methods and the calculations.

B. Whenever any gas service meter is tested the original test record shall be preserved, including the information necessary for identifying the meter, the reason for making the test, the reading of the meter upon removal from service, and the result of the test, together with all data taken at the time of the test in sufficiently complete form to permit convenient checking of the methods employed and the calculations.

426 FINAL REGULATIONS

SUBARTICLE 3 METERS

103-420. Meter Requirements.

1. General. Service shall be measured by meters furnished by the gas utility unless otherwise authorized by the commission, and such meters shall maintain the degree of accuracy as set forth in regulation 103-423.

2. Measurement. Where applicable, each gas meter shall indicate clearly the unit of gas registered by such meter. Where gas is metered under high pressure, or where the quantity is determined by calculation from recording devices, the gas utility shall, when requested, supply the customer with such information as will make clear the method by which the quantity is determined.

103-421. Meter Reading.

Unless extenuating circumstances prevent, meters shall be read and bills rendered on a monthly basis of not less than twenty-eight days nor more than thirty-four days.

103-422. Meter Reading Data.

The meter reading data maintained by the gas utility shall include:

- a. Customer's name and service address.
- b. Identifying number and/or description of the meter(s).
- c. Meter Readings.
- d. If the reading has been estimated.
- e. Location of meter on premises, or special reading instructions, if applicable.

103-423. Meter Accuracy and Condition.

A. Every gas meter, whether new, repaired, or removed from service, shall be in good order before being installed for the use of any customer and shall be correct to within the limits prescribed in regulation 103-475(5).

B. Care shall be taken to insure that every gas meter being transported or stored to install or test for the use of any customer is handled in a manner that will not impair the performance of such meter.

103-424. Meter Seal.

Immediately after the pre-installation tests or field tests of a billing meter or other billing device, a seal or locking device shall be affixed or other means provided, where practical, designed to discourage or reveal tampering or theft of gas.

103-425. Configuration and Location of Meter.

A. No customer's meter shall be configured and/or installed in any location where it may reasonably be expected to be exposed to damage, impairment or in any unduly dirty or inaccessible location.

B. Outdoor meters shall be used where practicable.

C. Each customer shall provide and maintain at the customer's expense a suitable and convenient place, agreeable to the gas system, for the location of meters, where the meter will be readily accessible at any reasonable hour for the purpose of reading, testing, repairing, etc., and such other appliances owned by the gas system and placed on the premises of the customers shall be placed as to be readily accessible at such times as are necessary, and the authorized agent of the gas system shall have authority to visit such meters and appurtenances at such times as are necessary in the conduct of the business of the gas system.

103-426. Change in Character of Service.

SUBARTICLE 4 CUSTOMER RELATIONS

103-430. Customer Information.

Each gas utility shall:

- a. Maintain up-to-date maps, plans, or records of its entire transmission and distribution systems, with such other information as may be necessary to enable the gas utility to advise prospective customers, and others entitled to the information, as to the facilities available for serving customers within its operating area.
- b. Notify each affected customer in writing, as prescribed by the commission, of any proposed change in rates and charges. Unless the commission orders otherwise, this notice requirement shall not apply to Purchased Gas Adjustments, Curtailment Adjustments, and Exploration Adjustments. Certification that the above notice requirement has been met shall be furnished to the commission and ORS by the gas utility.
- c. Post a notice in a conspicuous place in each office of the gas utility where applications for service are received, informing the public that copies of the rate schedules and rules relating to the service of the gas utility, as approved by the commission, are available for inspection at the gas utility.
- d. Upon request, inform its customers as to the method of reading meters, as to billing procedures, and shall assist customers in selecting the most economical rate schedule applicable and method of metering the service, except as otherwise provided for by the commission.
- e. Each gas system shall provide adequate means (telephone, etc.) whereby each customer can contact the gas system or authorized representative at all hours in cases of emergency or unscheduled interruptions of service.
- f. Each gas utility shall, upon request, give its customers such information and assistance as is reasonable and proper in order that customers may secure safe and efficient service.
- g. Notify any customer making a complaint recorded pursuant to regulation 103-445, that the gas utility is under the jurisdiction of the commission and the customer may notify the commission and ORS of his complaint.
- h. Notify each affected customer of the possibility and degree of anticipated seasonal natural gas curtailments. Such notification shall be sent by the gas utility to its customers as soon as the gas utility becomes aware of the possible imposition of any curtailment. The ORS shall be informed by the gas utility whenever such notification has been given to its customers.

103-431. Customer Deposits.

A. Each gas utility may require from any customer or from any prospective customer, a deposit intended to guarantee payment of bills for service, if any of the following conditions exist:

428 FINAL REGULATIONS

1. The customer's past payment record to a gas utility shows delinquent payment practice, i.e., customer has had two consecutive thirty-day arrears, or more than two non-consecutive thirty-day arrears in the past twenty-four months, or

2. A new customer cannot demonstrate that he is a satisfactory credit risk by appropriate means including, but not limited to, letters of good credit from a utility, or references which may be quickly and inexpensively checked by the Company or cannot furnish an acceptable cosigner or guarantor on the same system within the state of South Carolina to guarantee payment, up to the amount of the maximum deposit, or

3. A customer has no deposit and presently is delinquent in payments, i.e., has had two consecutive thirty-day arrears, or more than two non-consecutive thirty-day arrears in the past- twenty-four months, or

4. A customer has had his service terminated for non-payment or fraudulent use.

B. Each utility shall inform each prospective customer of the provisions contained in (A) of this rule.

103-432. Amount of Deposit.

A. A maximum deposit may be required up to an amount equal to an estimated two months (sixty days) bill for a new customer or a maximum deposit may be required up to an amount equal to the total actual bills of the highest two consecutive months based on the experience of the preceding twelve months or portion of the year, if on a seasonal basis.

B. All deposits may be subject to review based on the actual experience of the customer. The amount of the deposit may be adjusted upward or downward to reflect the actual billing experience and payment habits of the customer.

C. A schedule of deposits based upon an analysis of sixty days usage for categories of customers may be required by the company upon being provided to the ORS and filed and approved by the commission.

D. Special offerings may be exempt as determined by the commission.

103-433. Interest on Deposits.

A. Simple interest on deposits at the rate of the current effective interest rate per annum prescribed by Order of the South Carolina Public Service Commission shall be paid by the gas utility to each customer required to make such deposit for the time it is held by the gas utility, provided that no interest need to be paid unless the deposit is held longer than six months.

B. The interest shall be accrued annually and payment of such interest shall be made to the customer every two years or less and at the time the deposit is returned.

C. The deposit shall cease to draw interest on the date it is returned, on the date service is terminated, or on the date notice is sent to the customer's last known address that the deposit is no longer required.

103-434. Deposit Records.

103-435. Deposit Receipt.

103-436. Deposit Retention.

Deposits shall be refunded completely with interest after two years unless the customer has had two consecutive thirty-day arrears, or more than two non-consecutive thirty-day arrears, in the past twenty-four months.

103-437. Unclaimed Deposit.

A record of each unclaimed deposit must be maintained for at least one year, during which time the gas utility shall make a reasonable effort to return the deposit. Unclaimed deposits, together with accrued interest, shall be turned over to the South Carolina State Treasurer as prescribed by state law.

103-438. Deposit Credit.

Where a customer has been required to make a guarantee deposit, this shall not relieve the customer of the obligation to pay the service bills when due. Where such deposit has been made and service has been discontinued for reason of non-payment of bill or otherwise, a gas utility shall apply the deposit of such customer toward the discharge of such account and shall as soon thereafter as practicable, refund the customer any excess of the deposit. If, however, the customer whose service has been disconnected for non-payment, pays the full amount billed within seventy-two hours after service has been disconnected and applies for reconnection, the gas utility may not charge an additional deposit except under the provisions of regulation 103-432.

103-439. Customer Billing.

The gas utility shall bill each customer as promptly as practicable following the reading of the meter and render a receipt of payment upon request.

1. New Service. Meters shall be read at the initiation and termination of any service and billing shall be based thereon.
2. Bill Forms. The bill shall show:
 - a. The reading of the meter at the beginning and at the end of the period for which the bill is rendered.
 - b. The date on which the meter was read, and the date of billing and the latest date on which it may be paid without incurring a penalty and the method of calculating such penalty.
 - c. The number and kind of units metered.
 - d. The applicable rate schedule, or identification of the applicable rate schedule. If the actual rates are not shown, the bill should carry a statement to the effect that the applicable rate schedule will be furnished on request.
 - e. Any estimated usage shall be clearly marked with the word "estimate" or "estimated bill".
 - f. Any conversions from meter reading units to billing units or any information necessary to determine billing units from recording or other devices, or any other factors, such as BTU adjustments, used in determining the bill. In lieu of such information on the bill, a statement must be on the bill advising that such information can be obtained by contacting the gas utility's local office.
 - g. Amount for gas usage.

430 FINAL REGULATIONS

h. Amount of South Carolina Sales Tax (dollars and cents).

i. Total amount due.

j. Number of days for which bill is rendered or beginning and ending dates for the billing period.

3. **Late Payment Charges.** A charge of no more than one and one-half percent (1 1/2 %) may be added to any unpaid balance not paid within twenty-five days of the billing date to cover the cost of collection and carrying accounts in arrears. This method of late-payment charge will be made in lieu of any other penalty.

4. **Payment.** The gas utility, at its option for good cause, may refuse to accept a check, debit card, credit card or other electronic payment tendered as payment on a customer's account. "Good cause" must be justified by a gas utility by evidencing a credit history problem or by evidencing insufficient funds of the utility customer or applicant.

5. **Charges for Discontinuance and Reconnection.** Whenever service is turned off for violation of rules or regulations, non-payment of bills or fraudulent use of service, the gas utility may make a reasonable charge, to be approved by the commission, for the cost incurred in discontinuing the service and reconnection and require payment for service billed and for service used which has not previously been billed.

6. **Estimated Bills.** Each gas utility shall not send a customer an estimated bill except for good cause where the meter could not be read or was improperly registering. No more than one estimated bill shall be rendered within a sixty day period, unless otherwise agreed to by the customer.

103-440. Adjustment of Bills.

If it is found that a gas utility has directly or indirectly, by any device whatsoever, demanded, charged, collected or received from any customer a greater or less compensation for any service rendered or to be rendered by such gas utility than that prescribed in the schedules of such gas utility applicable, thereto then filed in the manner provided in Title 58 of the South Carolina Code of Laws or if it is found that any customer has received or accepted any service from a gas utility for a compensation greater or less than that prescribed in such schedules; or if, for any reason, billing error has resulted in a greater or lesser charge than that incurred by the customer for the actual service rendered, then the method of adjustment for such overcharge or undercharge shall be as provided by the following:

1. **Fast or Slow Meters.** If the overcharge or undercharge is the result of a fast or slow meter, then the method of compensation shall be as follows:

a. In case of a disputed account, involving the accuracy of a meter, such meter shall be tested upon request of the customer, as specified in regulation 103-472.

b. In the event that the meter so tested is found to have an error in registration of more than two percent, the bill shall be increased or decreased accordingly, if the time at which the error first developed or occurred can be definitely determined. If such time cannot be determined, such correction shall not be made for more than six months.

2. **Customer Wilfully Overcharged.** If the gas utility has wilfully overcharged any customer, except as provided for in 1 of this rule, then the method of adjustment shall be as provided in S. C. Code Ann., § 58-5-370 (1976).

3. **Customer Inadvertently Overcharged.** If the gas utility has inadvertently overcharged a customer as a result of a misapplied schedule, an error in reading the meter, a skipped meter reading, or any other human or

machine error except as provided in 1 of this rule, the gas utility shall at the customer's option credit or refund the excess amount paid by that customer or credit the amount billed as prescribed by the following:

a. If the interval during which the customer was overcharged can be determined, then the gas utility shall credit or refund the excess amount charged during that entire interval, provided that the applicable statute of limitations shall not be exceeded.

b. If the interval during which the customer was overcharged cannot be determined then the gas utility shall credit or refund the excess amount charged during the twelve month period preceding the date when the billing error was discovered.

c. If the exact usage and/or demand incurred by the customer during the billing periods subject to adjustment cannot be determined then the refund shall be based on an appropriate estimated usage and/or demand.

4. Customer Undercharged Due to Wilfully Misleading Company. If the gas utility has undercharged any customer as a result of a fraudulent or wilfully misleading action of that customer, or any such action by any person (other than the employees or agents of the company), such as tampering with, or bypassing the meter when it is evident that such tampering or bypassing occurred during the residency of that customer, or if it is evident that a customer has knowledge of being undercharged without notifying the gas utility as such, then notwithstanding 1 of this rule, the gas utility shall recover the deficient amount provided as follows:

a. If the interval during which the customer was undercharged can be determined, then the gas utility shall collect the deficient amount incurred during that entire interval, provided that the applicable statute of limitations is not exceeded.

b. If the interval during which the customer was undercharged cannot be determined, then the gas utility shall collect the deficient amount incurred during the twelve-month period preceding the date when the billing error was discovered by the gas utility.

c. If the usage and/or demand incurred by the customer during the billing periods subject to adjustment cannot be determined, then the adjustment shall be based on the appropriate estimated usage and/or demand.

d. If the metering equipment has been removed or damaged, then the gas utility shall collect the estimated cost of repairing and/or replacing such equipment.

5. Equal Payment Plans. A gas utility may provide equal payment plans, wherein the charge for each billing period is the estimated total annual bill divided by the number of billing periods prescribed by the plan. The difference between the actual and estimated annual bill is to be resolved by one payment at the end of the equal payment plan year, unless otherwise approved by the commission. However, any incorrect billing under equal payment plan shall be subject to the first paragraph of this rule.

6. Customer Undercharged Due to Human or Machine Error. If the gas utility has undercharged any customer as a result of a misapplied schedule, an error in reading the meter, a skipped meter reading, or any human or machine error, except as provided in 1 and 2 of this rule above, then the gas utility shall recover the deficient amount as provided as follows:

a. If the interval during which a customer was undercharged can be determined, then the gas utility may collect the deficient amount incurred during that entire interval up to a maximum period of twelve months.

b. If the full interval during which a customer was undercharged cannot be determined, then the gas utility may collect only the deficient amount of that portion of the interval that can be determined up to a maximum period of twelve months.

432 FINAL REGULATIONS

c. The customer shall be allowed to pay the deficient amount, in equal installments added to the regular monthly bills, over the same number of billing periods which occurred during the interval the customer was subject to pay the deficient amount.

d. If the usage incurred by that customer during the billing periods subject to adjustment cannot be determined, then the adjustment shall be based on an appropriate estimated usage.

103-441. Applications for Service.

1. Method. Applications for service may be verbal or in writing.

2. Obligation. The applicant shall, at the option of the gas utility, be required to sign a service agreement or contract. In the absence of such a service agreement or contract, accepted application shall constitute a contract between the gas utility and the applicant, obligating the applicant to pay for service in accordance with the gas utility's tariff or rate schedule currently on file with the commission and the ORS, and to comply with the commission's and the gas utility's rules and regulations governing service supplied by the gas utility.

3. Termination. When a customer desires to have his service terminated, he must notify the gas utility; such notification may be verbal or in writing. The gas utility shall be allowed a reasonable period of time after receipt of such notice to take a final reading of the meter and to discontinue service.

103-442. Reasons for Denial or Discontinuance of Service.

Unless otherwise stated, a customer shall be allowed a reasonable time in which to correct any discrepancy which may cause discontinued service.

Service may be denied or discontinued for any of the following reasons:

a. Without notice in the event of a condition determined by the gas utility to be hazardous or dangerous.

b. Without notice in the event of customer use of equipment in such a manner as to adversely affect the gas utility's service to others.

c. Without notice in the event of unauthorized or fraudulent use of gas utility service e.g.:

1. Misrepresentation of the customer's identity.

2. For reconnection of service by customer who has had service discontinued for violation of and/or non-compliance with the commission's regulation 103-442 et seq.

d. Tampering.

After the customer has applied for and/or received service from the gas utility, he shall make every reasonable effort to prevent tampering with the meter and service lines serving his premises. A customer shall notify the gas utility, as soon as possible, of any tampering with, damage to, or removal of any equipment. Tampering with meters or with lines carrying unmetered gas and unauthorized breaking of utility's seals is prohibited by law and shall not be tolerated by the utility. Such meter tampering shall include but shall not be limited to, unassigned meters, or altered meters. Should the utility find that the meter, service line, or seals have been tampered with, the gas utility shall give notice to the customer of possible discontinuance of service. Service may be continued or reconnected consistent with the following:

1. A customer can stop discontinuance of service or have service reconnected by paying a reasonable charge for an inspection (to insure proper operating conditions), a reasonable reconnect fee, and charges to compensate for any damages to the utility's facilities.

2. A customer's bill may be adjusted to reflect normal usage should any tampering reflect other than normal meter readings and the customer's bill may include the establishment of a deposit in accordance with the commission's regulation 103-432 et seq.

Nothing herein shall prevent the gas utility from instituting appropriate legal actions for violations of and/or non-compliances with the commission's regulation 103-442 et seq.

e. For failure of the customer to fulfill his contractual obligations for service and/or facilities subject to regulation by the commission.

f. For failure of the customer to permit the gas utility reasonable access to its equipment.

g. For nonpayment of bill for service rendered provided that the gas utility has made reasonable efforts to effect collection and has complied with the provisions of regulation 103-452.

h. For failure of the customer to provide the gas utility with a deposit as authorized by regulation 103-431.

i. For failure of the customer to furnish permits, certificates, and rights-of-way, as necessary in obtaining service, or in the event such permissions are withdrawn or terminated.

j. For failure of the customer to comply with reasonable restrictions on the use of service, provided that notice has been given to the customer and that written notice has been furnished to the commission and ORS.

k. No gas utility shall be required to furnish its service or to continue its service to any applicant who, at the time of such application, is indebted or any member of his household is indebted, under an undisputed bill to such gas utility for service previously furnished such applicant or furnished any other member of the applicant's household. However, for the purposes of this regulation, the gas utility may not consider any indebtedness which was incurred by the applicant or any member of his household more than six years prior to the time of application.

l. The gas utility may terminate a customer's service should the customer be in arrears on an account for service at another premises.

103-443. Insufficient Reasons for Denying Service.

103-444. Right of Access.

Authorized agents of the gas system shall have the right of access to premises supplied with gas service at reasonable hours, for the purpose of reading meters, examining facilities and pipes, maintenance, repair, observing the manner of using service and for any other purpose which is proper and necessary in the conduct of the gas system's business.

Such agents shall, upon request of a customer, produce proper identification and inform the customer of the purpose of necessary access to occupied premises.

103-445. Complaints.

A. Complaints concerning the charges, practices, facilities, or service of the gas utility, shall be investigated promptly, thoroughly and professionally by the gas utility. Each gas utility shall keep a record of all such

434 FINAL REGULATIONS

complaints received, which record shall show the name and address of the complainant, the date and character of the complaint, and the adjustment or disposal made thereof. The gas utility shall keep such records of customer complaints as will enable it to review and analyze its procedures and actions.

B. Unless otherwise specified by the commission, when the ORS has notified the gas utility that a complaint has been received concerning a specific account, the gas utility shall refrain from discontinuing the service of that account for the matter which is the subject of the complaint, until the ORS's investigation is completed, and the results have been received by the gas utility. Service shall not be discontinued if the complainant requests in writing a hearing before the commission within fifteen days of ORS mailing the results of the ORS investigation, along with a copy of regulation 103-445, to the complainant. If the complainant does not file the complaint with the commission within fifteen days, service can be discontinued.

103-446. Contracts, Rate Schedules, Rules and Regulations.

Copies of all schedules of rates for service, contracts for service which involve rates, forms of contracts for service, charges for service connections and extensions of mains, and all rules and regulations concerning the relations between the customer and gas utility, shall be filed with the commission by each gas utility and shall be subject to prior approval by the commission. All contracts for service between any industrial customer and any gas utility which establish or adjust rates for any industrial customer shall be filed with the commission by each gas utility and may become effective as of the date of the contracts, unless disapproved or modified by the commission. Complete schedules, contract forms, rules and regulations, etc., as filed with the commission, shall also be available for public inspection at the local offices of the gas utility.

103-447. System Which Gas Utility Must Maintain.

Each gas utility, unless specifically relieved by the commission from such obligation, shall operate and maintain in safe, efficient and proper conditions all of the facilities and equipment used in connection with the regulation, measurement and delivery of gas to any customer up to and including the point of delivery into the piping owned by the customer.

103-448. System Extensions.

When a prospective customer or customers of a gas utility makes application for service at a point not immediately adjacent to a service facility of a gas utility, and as long as the requirement for such service is reasonable, and the prospective service is in territory assigned by the commission to the gas utility, the gas utility shall render service under reasonable terms and conditions, unless otherwise authorized by the commission.

103-449. Replacement of Meters.

Whenever a customer requests the replacement of the gas meter on his premises, such request shall be treated as a request for the test of such meter, and, as such, shall fall under the provisions of regulation 103-475 and shall be subject to the provisions of regulation 103-472.

103-450. Service Entrance Changes.

Whenever a customer requests the gas utility to relocate the gas utility's service entrance, the gas utility may require reasonable charges to cover costs incurred to be paid prior to the relocation.

103-451. Temporary Service.

103-452. Procedures for Termination of Service.

Prior to the termination of gas service pursuant to 103-442 e-m, the following procedures shall be employed by the gas utility:

a. Not less than ten days prior to termination of service, the gas utility shall mail a notice of termination to the affected customer. The notice of termination of service shall include, as a minimum, the following information:

1. Address, telephone number and working hours of the person(s) to be contacted by the customer for the arrangement of a personal interview with an employee of the gas utility with the authority to accept full payment or make other payment arrangements.

2. The total amount owed by the customer for gas services rendered, the date and amount of the last payment and the date by which the customer must either pay in full the amount outstanding or make satisfactory arrangements for payment by installments of such amount.

3. Special Needs Customers.

a. A statement that service to a residential customer who qualifies as a special needs account customer shall only be terminated in accordance with S.C. Code Ann. §58-5-1110 *et. seq.*, as amended. All gas utilities shall publish their procedures for termination of service on their websites.

b. The statement that service to a residential customer during the months of December through March will not be terminated where such customer, or a member of his household at the premises to which service is rendered, can furnish to the utility, no less than (3) days prior to termination of service, or to the terminating crew at time of termination, a certificate on a form provided by the utility and signed by a licensed physician, that termination of gas service would be especially dangerous to such person's health. Such certificate must be signed by the customer and state that such customer is unable to pay in full the amount of the charges due for gas service or is unable to pay by installments. A certification shall expire on the thirty-first day from the date of execution by the physician. Such certification may be renewed no more than three (3) times for an additional thirty (30) day period each. Upon renewal of the certification, the gas utility shall advise the customer that he may wish to call the local social service agency to determine what public or private assistance may be available to him.

4. The availability of investigation and review of any unresolved dispute by the ORS and include the ORS's toll free telephone number.

b. Not more than two business days prior to termination of service, the gas utility shall make reasonable efforts either by telephone or in person to contact the customer to notify him that his service is subject to termination for non-payment. Alternatively, not more than three business days prior to termination of service, the gas utility shall notify the customer by mail that he is subject to termination of service for non-payment. The gas utility shall maintain records of the efforts made to contact such customers. Termination of service may be delayed in case of inclement weather, emergencies or operational conflicts.

c. The gas utility shall provide for the arrangement of a deferred payment plan to enable a residential customer to make payment by installments where such customer is unable to pay the amount due for gas service. The deferred payment plan shall require the affected customer to maintain his account current and pay not less than one-sixth of the outstanding balance for a period not to exceed six months. The outstanding balance may include the late payment charge authorized by regulation 103-439(3). Service to such customer shall not be terminated unless the gas utility has informed the customer that such deferred payment plan is available. Any agreement to extend or defer a payment cut off date by more than five work days is a deferred payment plan. If

436 FINAL REGULATIONS

a customer fails to conform to the terms and conditions of such deferred payment plan, the gas utility may terminate service upon three days written notice, if personally delivered, or upon five days notice by mail.

d. If a residential customer informs the utility that he is unable to make payment in full on his account or to make arrangements for the satisfaction of the balance of his account through a deferred payment plan, the gas utility shall advise the customer that he may wish to call the local social service agency to determine what public or private assistance may be available to the customer.

e. The gas utility shall maintain a record of all deferred payment plans established with customer subject to termination for a period of two years.

f. The gas utility shall provide a copy of the termination notice to any third party identified by the customer upon establishment of the service account or at any time thereafter.

g. The gas service may be terminated only on Monday through Thursday between the hours of 8:00 a.m. and 4:00 p.m., unless provisions have been made for the availability of the acceptance of payment and the reconnection of service. Gas service may not be terminated on the day preceding any day on which the gas utility's collection offices are closed, unless provisions have been made for the availability of the acceptance of payment and the reconnection of service. All employees of gas utilities assigned to terminate service shall be authorized to accept payment from customers subject to termination of service or in lieu thereof, at the utilities' option, allow such customer at least one full working day beyond the initial date set for termination the opportunity to make satisfactory arrangements on the account at the offices of the utility; provided, however, that in certain areas where it has been determined by the utility that the safety of its employees warrants it, those employees shall not be required to accept payments from customers subject to termination.

SUBARTICLE 5 ENGINEERING

103-460. Criteria for Good Engineering Practice.

The gas plant of a gas system shall be constructed, installed, maintained, and operated in accordance with good engineering practices and regulations included by reference as part of these rules to assure, as far as reasonably possible, continuity of service, uniformity in the quality of service furnished, and the safety of persons and property.

103-461. Acceptable Standards.

Unless otherwise specified by the commission, after hearing if requested, the gas system shall use the applicable provisions in the publications listed below as operational references, where applicable, and as standards of accepted good engineering practices.

a. The edition of the American Standard Code for "Gas Transmission and Distribution Piping Systems", ANSI B31.8. as referenced in the Federal Pipeline Safety Regulations.

b. The latest edition of the American Standards Association Pamphlet, ASA Z21.30, "Installation of Gas Appliances and Gas Piping in Buildings", or the latest edition of the National Board of Fire Underwriters publication NFPA No. 54, "Piping, Appliances and Fittings for City Gas".

c. The edition of the NFPA No. 59, "The Storage and Handling of Liquefied Petroleum Gases at Utility Gas Plants" as referenced in the Federal Pipeline Safety Regulations.

- d. "Standard Methods of Gas Testing", Circular No. 48, National Bureau of Standards, 1961. (The applicable portions of this Circular have been substantially reproduced in the American Meter Company Handbook E-4, covering the testing of positive displacement meters).
- e. "Testing Large Capacity Rotary Gas Meters", Research Paper No. 1741, National Bureau of Standards Journal of Research, September, 1946.
- f. "Orifice Metering of Natural Gas", Report No. 3 of the AGA Gas Measurement Committee.
- g. "Standard Method of Test for Calorific Value of Gaseous Fuels by Water-Flow Calorimeter", American Society for Testing Materials, Standard D 900-55.
- h. The edition of NFPA No. 59A, "Storage and Handling of Liquefied Natural Gas" as referenced in the Federal Pipeline Safety Regulations.

103-462. Acceptable References.

The following publications are considered by this commission to be acceptable references:

- a. "Accuracy of the Recording Gas Calorimeter When Used With Gases of High BTU Content", by John H. Eisemen, National Bureau of Standards, and Elwin A. Potter, Gas Inspection Bureau of the District of Columbia, AGA Publication No. CEP-55-13.
- b. Reports prepared by the Practical Methods Committee of the Appalachian Gas Measurement Short Course, West Virginia University, as follows:
 - (1) Report No. 1, "Method of Testing Large Capacity Displacement Meters".
 - (2) Report No. 2, "Testing Orifice Meters".
 - (3) Report No. 3, "Designing and Installing Measuring and Regulating Stations".
 - (4) Report No. 4, "Useful Tables for Gas Men".
 - (5) Report No. 5, "Prover Room Practices".

103-463. Adequacy of Service.

The source of supply and transmission facilities for gas, and/or production and/or storage capacity of the gas utility's plant, supplemented by the gas supply regularly available from other sources, must to the extent reasonably practicable, be sufficiently large to meet all reasonably expectable demands for firm service, unless otherwise authorized by the commission.

103-464. Inspection of Plant.

Each gas system shall adopt a program of inspection of its gas plant in order to determine the necessity for replacement and repair. The frequency of the various inspections shall be based on the gas system's experience and accepted good practice.

438 FINAL REGULATIONS

103-465. Inactive Service Lines.

1. Service Lines. Each gas system shall conduct a study at intervals not exceeding twenty-four months to determine the number of inactive service lines in their system and shall take necessary steps to meet the following:

a. Inactive service lines for which there is no definite plan for future use or reasonable possibility for future use or are found to be in unsafe condition shall be physically disconnected from the gas supply at the main, purged and the open pipe ends shall be sealed.

b. Inactive service lines for which there is a definite plan for future use or a reasonable possibility for future use may remain connected to the gas supply at the main if such lines are found to be in safe condition, provided that in addition to maintaining such lines in accordance with all other applicable requirements, such lines be monitored at intervals not exceeding twenty-four months by leakage survey to detect conditions detrimental to public safety.

SUBARTICLE 6 INSPECTION AND TESTS

103-470. Utility Inspection and Tests.

A. Each gas utility shall make such tests as are prescribed under these rules with such frequency and in such manner and at such places as is herein provided, as requested by the ORS or as may be approved or ordered by the commission. Unless otherwise directed by the commission, the methods and apparatus recommended by the National Bureau of Standards in the latest edition of its Circular No. 48, "Standard Methods of Gas Testing" may be used.

B. When the gas itself is to be tested pursuant to these rules, a "cubic foot" shall mean the quantity of gas necessary to fill a cubic foot of space when the gas is at an absolute pressure of 14.73 pounds per square inch and at a temperature of sixty degrees Fahrenheit. For purposes of measurement of gas to a customer a cubic foot of gas shall be taken to be the amount of gas which occupies a volume of one cubic foot under the conditions existing in such customer's meter as and where installed.

103-471. Periodic Tests.

These test periods may be extended upon application and approved by the commission, providing that the gas utility can prove by its own records that different test periods are adequate for the protection of the public. Meters may be tested and calibrated in accordance with "Sample Meter Testing Plans" approved by the commission; and gas utilities using a "Sample Meter Testing Plan" shall continue to advise the commission of the results of the operation of the plan.

a. Positive Displacement Meters.

(1) Up to 251 c.f./hr. (at .5 in. water column differential pressure with non-absorptive diaphragm)-Ten years.

(2) 251 to 3000 c.f./hr (at .5 in. water column differential pressure)-Three years.

(3) Over 3000 c.f./hr. (at .5 in. water column differential pressure)-Two years.

b. Orifice Meters.

Six Months.

c. Turbine Meters.

Six Months.

d. Base Pressure Correcting Devices.	Two Years.
e. Base Volume Correcting Devices.	Two Years.
f. Recording Pressure and Temperature Gauges.	One Year.
g. Secondary Standards.	
(1) Test Bottles, one cubic foot	Five Years.
(2) Dead Weight Testers including Weights	Five Years.
h. Working Standards.	
(1) Bell Provers	Five Years.
(2) Flow Provers	Five Years.
(3) Transfer Provers	Five Years.
(4) Laboratory Quality Indicating Pressure Gauges	Six Months.
(5) Laboratory Quality Thermometers	Six Months.

103-472. Meter Testing on Request of Customer.

A. Each gas utility shall, at any time when requested in writing by a customer upon reasonable notice, test the accuracy of the meter in use by him.

B. No deposit or payment shall be required from the customer for such meter test except when the customer requests a meter test within one year after date of installation or of the last previous test of this meter, in which case the customer may be required by the gas utility to deposit an amount, to cover the reasonable cost of such test, as approved by the commission in the gas utility's tariff or service regulation. The amount so deposited with the gas utility shall be refunded or credited to the customer if the meter is found, when tested, to register more than two percent fast or slow; otherwise the deposit shall be retained by the gas utility.

C. A customer may request to be present when the gas utility conducts the test on his meter, or if he desires, may send a representative appointed by him. The gas utility shall honor such request.

D. A report giving the name of the customer requesting the test; the date of the request; the location of the premises where the meter has been installed; the type, make, size and serial number of the meter; the date of removal; the date tested; and the result of the test shall be supplied to such customer within a reasonable time after the completion of the test.

103-473. ORS Inspection and Tests.

The ORS shall make tests of meters as follows:

a. Upon order of the commission or request to the ORS by a customer or gas utility, a test will be made of customer's meters as soon as practicable.

440 FINAL REGULATIONS

- b. On receipt of such request the ORS shall notify the gas utility and the gas utility shall not remove or adjust the meter until instructed by the ORS. The gas utility shall furnish to the ORS's representative such reasonable assistance as may be required.
- c. The customer shall be notified of the test in sufficient time to allow him or his representative to be present.
- d. The ORS shall make a written report of the results of the test to the customer and to the gas utility.

103-474. Facilities and Equipment for Testing.

1. General. Each gas utility shall, unless specifically excused by the commission, provide such laboratory, meter-testing equipment and other equipment and facilities as may be necessary to make the tests required of it by these rules or other orders of the commission or as requested by the ORS. The apparatus and equipment so provided shall be subject to the approval of the commission, and it shall be available at all times for the inspection or use of any member or authorized representative of the ORS.

2. Meter Shop. Each gas utility shall maintain or designate a meter shop for the purpose of inspecting, testing and repairing meters. The shop shall be open for inspection by authorized representatives of the ORS at all reasonable times, and the facilities and equipment, as well as the methods of measurements and testing employed, shall be subject to the approval of the commission. The area within the meter shop used for the testing of meters shall be designed so that the meters and meter testing equipment are protected from drafts and excessive changes in temperature. The meters to be tested shall be stored in such manner that the temperature of the meters is substantially the same as the temperature of the prover.

3. Working Standards.

A. Each gas utility furnishing metered gas service shall own an approved type of meter prover or designate a meter shop which is equipped with an approved type of meter prover preferably of not less than two cubic feet capacity, equipped with suitable thermometers and other necessary accessories, and it shall maintain such equipment in proper adjustment so that it shall be capable of determining the accuracy of any service meter to within one-half of one percent.

B. Bell provers shall be so placed that they will not be subjected to drafts or excessive temperature variations.

C. Means shall be provided to maintain the temperature of the liquid in bell provers at substantially the same level as the ambient temperature in the prover room.

D. Each gas utility having meters which are too large for testing on a five cubic foot bell prover shall use a properly calibrated test meter or a properly designed flow prover for testing the large meters.

E. The accuracy of all provers and methods of operating them will be established from time to time by a representative of the ORS. All alterations, accidents, or repairs which might affect the accuracy of any meter prover or the method of operating it shall be promptly reported in writing to the commission and the ORS.

F. Working standards must be checked periodically by comparison with a secondary standard.

1. Bell provers must be checked with a cubic foot bottle which has been calibrated by the National Bureau of Standards, unless another standard is authorized by the commission.

2. Transfer and Flow Provers must be checked with a bell prover of adequate capacity which has been calibrated by representatives of the National Bureau of Standards unless another standard is authorized by the commission.

G. Extreme care must be exercised in the use and handling of standards to assure that their accuracy is not disturbed.

H. Each gas utility must have properly calibrated orifices, as may be necessary, to achieve the rates of flow required to test the meters on its system.

4. Special Meters. Any meter, the readings or record of which is based on the differential pressure in such meter or upon the measurement of any portion of the total gas delivered to a customer, shall be tested for accuracy before being placed in service in a manner satisfactory to the commission.

103-475. Test Procedures and Accuracies.

1. Pre-Installation Inspection.

a. Every meter and/or associated metering device shall be inspected and sealed before being placed in service.

b. New or reconditioned meters which have been sealed at the factory need not be resealed in the shop of the gas utility.

2. Post-Removal Inspection and Tests. All meters and/or associated metering devices shall be tested when returned to the meter shop prior to being placed back in service.

3. Leak Tests. Every meter shall be leak tested prior to installation.

a. Each new meter must have been tested by the manufacturer to a minimum of ten p.s.i.g.

b. Meters removed from service and returned to the meter shop shall, prior to being placed back in service, be tested and subjected to an internal pressure of 1.1 times the maximum operating pressure of the meter and checked for the presence of leaks by one of the tests listed under subsection 4 below.

c. Acceptable Leak Tests.

(1) Immersion Tests.

(2) Soap Tests.

(3) Pressure drop test of a type acceptable to the commission.

4. Operating Pressure Limitations.

A. A meter may not be used at a pressure that is more than sixty-seven percent of the manufacturer's shell test pressure.

B. A rebuilt or repaired tinned steel case meter may not be used at a pressure that is more than fifty percent of the pressure used to test the meter after rebuilding or repairing.

5. Method of Testing. All tests to determine the accuracy of registration of any gas service meter shall be made with a suitable meter prover.

The tests of any unit of metering equipment shall consist of a comparison of its accuracy with the accuracy of a standard. The ORS will use the applicable provisions of the standards listed in 103-461 as criteria of accepted good practice in testing meters.

442 FINAL REGULATIONS

All meters and/or associated metering devices, when tested, shall be adjusted as closely as possible to the condition of zero error. All tolerances listed below are to be interpreted as maximum permissible variations from the condition of zero error.

a. Diaphragm, Displacement, Rotary, and Turbine Meters

(1) Accuracy at Test Points.

FLOW	ADJUSTED TO WITHIN
Check Flow (20% of rated meter capacity)	98.5%--100.5%
Full Flow (Equal to or in excess of operating load requirement)	98.5%--100.5%

(2) Actual Accuracy.

The accuracy as determined by averaging the results at the check and open rated flow.

(3) Overall Accuracy.

The accuracy at a check flow and the accuracy at not less than open rated flow shall agree within one percent.

b. Orifice Meters.

Accuracy at test points must be within one-half of one percent plus or minus.

c. Timing Devices.

All recording type meters or associated instruments which have a timing element that serves to record the time at which the measurement occurs must be adjusted as far as practicable so that the timing element is not in error by more than plus or minus five minutes in twenty-four hours.

SUBARTICLE 7 STANDARDS AND QUALITY OF SERVICE

103-480. Quality of Service.

103-481. Interruption of Service.

103-482. Restrictions on Use of Service.

A. The gas utility may impose reasonable restrictions on the use of service during periods of shortage of supply, excessive demand or other difficulty which jeopardizes the supply of service to any group of customers.

B. Restrictions on the use of service made necessary by the shortage of supply shall be made in conformity with the gas utility's curtailment plan approved by the commission.

C. The gas utility may impose reasonable restrictions on the use of service by customers who create conditions which prevent the gas utility from supplying satisfactory service to that customer, or to other customers.

D. If a gas utility finds that it is necessary to restrict the use of service, it shall notify its customers, and give the commission and the ORS written notice, except in emergencies, before such restriction becomes effective. Such notifications shall specify but not be limited to:

1. The reason for the restriction.
2. The nature and extent of the restriction of use by certain classes of customers, etc.
3. The date such restriction is to go into effect.
4. The probable date of termination of such restriction.

103-483. Special Tests.

103-484 is deleted.

103-485. System Pressure Monitoring.

A. Each gas system shall maintain on its distribution system in each city in which it supplies gas a sufficient number of recording devices, but not less than one, to ensure detections of abnormal system pressures. No gas system shall maintain less than two such recording pressure gauges of which one should be portable. Electronic and/or remote type devices may be utilized in addition to maintaining a portable pressure recording gauge.

B. Each gas system shall keep records of each test of pressures in various parts of its distribution systems. The records obtained shall include as a minimum, the date, time, and location where the pressure was taken and shall be retained for a two year period. These records may be electronic with suitable back-up means, and the ability to generate a hard copy upon request of the ORS.

SUBARTICLE 8 SAFETY

103-490. General.

A. The commission hereby adopts the Federal Minimum Safety Standards for the Transportation of Natural and Other Gas, 49 C.F.R. as applicable to gas systems and as amended from time to time, except where otherwise ordered by the commission.

B. Under the authority of S. C. Code Ann. § 58-5-980 (1976), the commission herein establishes additional minimum safety standards, as noted infra. Such modifications reflect additional requirements to those established by 49 C.F.R., and are not to be construed as deleting the existing Federal requirement.

C. Under the authority of S. C. Code Ann. § 58-5-960 (1976), the safety standards adopted by the commission apply to all gas systems.

D. As criteria of accepted good safety practice, in addition to those of 49 C.F.R., as amended from time to time, the commission will use the applicable provisions of the standards listed in regulation 103-461.

103-491. Protective Measures.

A. Each gas system shall exercise reasonable care to reduce the hazards to which its employees, its customers, and the general public may be subjected.

444 FINAL REGULATIONS

B. The gas system shall give reasonable assistance to the ORS in the investigation of the cause of accidents and shall give reasonable assistance to the commission and the ORS in the determination of suitable means of preventing accidents.

C. Each gas system shall maintain a summary of all reportable accidents arising from its operations.

103-492. Safety Program.

Each gas system shall adopt and execute a safety program, fitted to the size and type of its operations. As a minimum, the safety program should comply with the Federal Regulations: Minimum Safety Standards for the Transportation of Natural and Other Gas, 49 C.F.R., as amended from time to time:

- a. Require employees to use suitable tools and equipment in order that they may perform their work in a safe manner.
- b. Instruct employees in safe methods of performing their work.
- c. Instruct employees, who, in the course of their work are subject to the hazard of electrical shock, asphyxiation or drowning, in accepted methods of artificial respiration.
- d. Establish liaison with appropriate public officials including fire and police officials in anticipation of a potential emergency.
- e. Establish an educational program to enable customers and the general public to recognize and report a gas emergency to the appropriate officials.

103-493. Leakage.

1. General. Any notice to the gas system of a leak or odor or notification of damage to gas facilities reported by any source shall constitute the need for immediate action by the gas system. In the event that the response time exceeded one (1) hour, the reason should be included in the report to the ORS as well as the grade level of the leak and other pertinent information.

2. Classification. Each gas system shall establish procedures for classifying and repairing leaks meeting the requirements of this section:

Grade 1--Grade 1 means a leak that represents an existing or probable hazard to persons or property and requires immediate repair or continuous action until the conditions are no longer hazardous.

Grade 2--Grade 2 means a leak that is recognized as being nonhazardous at the time of detection but requires scheduled repair based on probable future hazard.

Grade 3--Grade 3 means a leak that is nonhazardous at the time of detection and can be reasonably expected to remain nonhazardous.

3. Leakage Surveys.

All buried piping not protected against corrosion in accordance with 49 C.F.R. Section 192, Subpart I, must be subjected to instrument leakage surveys as frequently as necessary, but at intervals not exceeding twelve months.

4. Vegetation Leakage Surveys.

Vegetation type leak surveys are prohibited.

103-494. Interruptions in Service.

A. Each gas system shall adopt and file with the commission, for approval, and provide a copy to the ORS procedures to protect customers during periods when operating conditions require interruptions in service due to scheduled or unscheduled curtailments, line breakage, equipment malfunctions, and force majeure conditions.

B. Such procedures shall insure that adequate safety precautions are taken to prevent hazards to which gas system employees, gas system customers and the general public may be subjected.

Fiscal Impact Statement:

There will be no increased costs to the State or its political subdivisions.

Statement of Rationale:

The purpose of the revisions to Regs. 103-300, et seq. and Regs. 103-400, et seq. is to conform the Public Service Commission's electric and gas regulations with Act No. 175 of 2004. There was no scientific or technical basis relied upon in the development of these regulations.

Document No. 3126
PUBLIC SERVICE COMMISSION
 CHAPTER 103
 Statutory Authority: 1976 Code Section 58-3-140

103-100 et seq. and 103-200 et seq. Motor Carriers

Synopsis:

In 2004, the General Assembly passed Act No. 175 which restructured the Public Service Commission. This Act modified the structure of the Agency and its functions and created the Office of Regulatory Staff. Several duties of the Public Service Commission were transferred to the Office of Regulatory Staff on January 1, 2005. The purpose of the revisions to Regs. 103-100, et. seq. (1976 & Supp. 2006) and Regs. 103-200, et. seq. (1976 & Supp. 2006) of the Public Service Commission's regulations is to amend these regulations to conform to the new standards set out by Act 175 of 2004 and to make other changes consistent with the Public Service Commission's duty to protect the public welfare.

Instructions: Print regulations in accordance with directions given below to show most current date of revised regulations.

- 103-1 through 103-74 Leave as currently printed
- 103-100 Print as amended and shown below
- 103-101 Print as amended and shown below
- 103-102 Print as amended and shown below
- 103-103 Print as amended and shown below
- 103-110 Print as amended and shown below
- 103-111 Print as amended and shown below
- 103-112 Print as amended and shown below